

**Anti-FGF4 Antibody**  
Catalog # ABO10524**Specification**

---

**Anti-FGF4 Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">P08620</a>
Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Format	Lyophilized

**Description**

Rabbit IgG polyclonal antibody for Fibroblast growth factor 4(FGF4) detection. Tested with WB in Human;Mouse;Rat.

**Reconstitution**

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

**Anti-FGF4 Antibody - Additional Information**

**Gene ID** 2249

**Other Names**

Fibroblast growth factor 4, FGF-4, Heparin secretory-transforming protein 1, HST, HST-1, HSTF-1, Heparin-binding growth factor 4, HBGF-4, Transforming protein KS3, FGF4, HST, HSTF1, KS3

**Calculated MW**

22048 MW KDa

**Application Details**

Western blot, 0.1-0.5 µg/ml, Human, Rat, Mouse<br>

**Subcellular Localization**

Secreted .

**Protein Name**

Fibroblast growth factor 4(FGF-4)

**Contents**

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na<sub>2</sub>HPO<sub>4</sub>, 0.05mg Thimerosal, 0.05mg NaN<sub>3</sub>.

**Immunogen**

A synthetic peptide corresponding to a sequence in the middle region of human FGF4(84-97aa RRLYCNAVIGIFHLQ), identical to the related rat and mouse sequences.

**Purification**

Immunogen affinity purified.

**Cross Reactivity**

No cross reactivity with other proteins

Storage

**At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.**

## Anti-FGF4 Antibody - Protein Information

**Name** FGF4 ([HGNC:3682](#))

### Function

Plays an important role in the regulation of embryonic development, cell proliferation, and cell differentiation. Required for normal limb and cardiac valve development during embryogenesis. May play a role in embryonic molar tooth bud development via inducing the expression of MSX1, MSX2 and MSX1-mediated expression of SDC1 in dental mesenchyme cells (By similarity).

### Cellular Location


Secreted.

## Anti-FGF4 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## Anti-FGF4 Antibody - Images



Anti-FGF4 antibody, ABO10524, Western blottingWB: HELA Cell Lysate

### **Anti-FGF4 Antibody - Background**

Fibroblast growth factor 4(FGF4), also known as Heparin Secretary Transforming(HSTF1). HST1, for which the designation HSTF1 was proposed for human gene nomenclature, is a heparin-binding growth factor with significant homology to human fibroblast growth factors and the mouse Int-2 protein. By in situ hybridization, Adelaide et al.(1988) mapped the HST gene to chromosome 11q13. The HST1 protein is a heparin-binding growth factor with significant homology with human fibroblast growth factors and the mouse Int-2 protein.