

## Anti-PAX6 Rabbit Monoclonal Antibody Catalog # ABO13470

### Specification

---

#### Anti-PAX6 Rabbit Monoclonal Antibody - Product Information

Application	WB, IHC, FC
Primary Accession	<a href="#">P26367</a>
Host	Rabbit
Isotype	Rabbit IgG
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Format	Liquid

#### Description

Anti-PAX6 Rabbit Monoclonal Antibody . Tested in WB, IHC, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat.

#### Anti-PAX6 Rabbit Monoclonal Antibody - Additional Information

**Gene ID** 5080

#### Other Names

Paired box protein Pax-6, Aniridia type II protein, Oculorhombin, PAX6, AN2

#### Calculated MW

46683 MW KDa

#### Application Details

WB 1:1000-1:2000<br>IHC 1:50-1:200<br>FC 1:500

#### Subcellular Localization

Nucleus.

#### Tissue Specificity

Fetal eye, brain, spinal cord and olfactory epithelium. Isoform 5a is less abundant than the PAX6 shorter form.

#### Contents

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

#### Immunogen

A synthesized peptide derived from human PAX6

#### Purification

Affinity-chromatography

Storage

**Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated**

freeze-thaw cycles.

## Anti-PAX6 Rabbit Monoclonal Antibody - Protein Information

**Name** PAX6

**Synonyms** AN2

### Function

Transcription factor with important functions in the development of the eye, nose, central nervous system and pancreas. Required for the differentiation of pancreatic islet alpha cells (By similarity). Competes with PAX4 in binding to a common element in the glucagon, insulin and somatostatin promoters. Regulates specification of the ventral neuron subtypes by establishing the correct progenitor domains (By similarity). Acts as a transcriptional repressor of NFATC1- mediated gene expression (By similarity).

### Cellular Location

Nucleus {ECO:0000250|UniProtKB:P63015}. [Isoform 5a]: Nucleus {ECO:0000250|UniProtKB:P63016}

### Tissue Location


[Isoform 1]: Expressed in lymphoblasts.


## Anti-PAX6 Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## Anti-PAX6 Rabbit Monoclonal Antibody - Images







All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot analysis of PAX6 expression in HeLa cell lysate.