

**Anti-AMPK gamma 1 Rabbit Monoclonal Antibody**  
Catalog # ABO14125**Specification**

---

**Anti-AMPK gamma 1 Rabbit Monoclonal Antibody - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | WB, IP, FC             |
| Primary Accession | <a href="#">P54619</a> |
| Host              | Rabbit                 |
| Isotype           | Rabbit IgG             |
| Reactivity        | Rat, Human, Mouse      |
| Clonality         | Monoclonal             |
| Format            | Liquid                 |

**Description**

Anti-AMPK gamma 1 Rabbit Monoclonal Antibody . Tested in WB, IP, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat.

**Anti-AMPK gamma 1 Rabbit Monoclonal Antibody - Additional Information**

**Gene ID** 5571

**Other Names**

5'-AMP-activated protein kinase subunit gamma-1, AMPK gamma1, AMPK subunit gamma-1, AMPKg, PRKAG1

**Calculated MW**

37579 MW KDa

**Application Details**

WB 1:1000-1:2000<br>IP 1:20<br>FC 1:20

**Contents**

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

**Immunogen**

A synthesized peptide derived from human AMPK gamma 1

**Purification**

Affinity-chromatography

**Storage**

**Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.**

**Anti-AMPK gamma 1 Rabbit Monoclonal Antibody - Protein Information**

**Name** PRKAG1

## Function


AMP/ATP-binding subunit of AMP-activated protein kinase (AMPK), an energy sensor protein kinase that plays a key role in regulating cellular energy metabolism (PubMed:<a href="http://www.uniprot.org/citations/21680840" target="\_blank">21680840</a>, PubMed:<a href="http://www.uniprot.org/citations/24563466" target="\_blank">24563466</a>). In response to reduction of intracellular ATP levels, AMPK activates energy-producing pathways and inhibits energy-consuming processes: inhibits protein, carbohydrate and lipid biosynthesis, as well as cell growth and proliferation (PubMed:<a href="http://www.uniprot.org/citations/21680840" target="\_blank">21680840</a>, PubMed:<a href="http://www.uniprot.org/citations/24563466" target="\_blank">24563466</a>). AMPK acts via direct phosphorylation of metabolic enzymes, and by longer-term effects via phosphorylation of transcription regulators (PubMed:<a href="http://www.uniprot.org/citations/21680840" target="\_blank">21680840</a>, PubMed:<a href="http://www.uniprot.org/citations/24563466" target="\_blank">24563466</a>). Also acts as a regulator of cellular polarity by remodeling the actin cytoskeleton; probably by indirectly activating myosin (PubMed:<a href="http://www.uniprot.org/citations/21680840" target="\_blank">21680840</a>, PubMed:<a href="http://www.uniprot.org/citations/24563466" target="\_blank">24563466</a>). Gamma non-catalytic subunit mediates binding to AMP, ADP and ATP, leading to activate or inhibit AMPK: AMP-binding results in allosteric activation of alpha catalytic subunit (PRKAA1 or PRKAA2) both by inducing phosphorylation and preventing dephosphorylation of catalytic subunits (PubMed:<a href="http://www.uniprot.org/citations/21680840" target="\_blank">21680840</a>, PubMed:<a href="http://www.uniprot.org/citations/24563466" target="\_blank">24563466</a>). ADP also stimulates phosphorylation, without stimulating already phosphorylated catalytic subunit (PubMed:<a href="http://www.uniprot.org/citations/21680840" target="\_blank">21680840</a>, PubMed:<a href="http://www.uniprot.org/citations/24563466" target="\_blank">24563466</a>). ATP promotes dephosphorylation of catalytic subunit, rendering the AMPK enzyme inactive (PubMed:<a href="http://www.uniprot.org/citations/21680840" target="\_blank">21680840</a>, PubMed:<a href="http://www.uniprot.org/citations/24563466" target="\_blank">24563466</a>).


## Anti-AMPK gamma 1 Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## Anti-AMPK gamma 1 Rabbit Monoclonal Antibody - Images





Western blot analysis of AMPK gamma 1 expression in HEK293 cell lysate.