

# Anti-Histone H4 (mono methyl K16) HIST1H4A Rabbit Monoclonal Antibody Catalog # ABO14318

### **Specification**

## Anti-Histone H4 (mono methyl K16) HIST1H4A Rabbit Monoclonal Antibody - Product Information

Application
Primary Accession
Host
Isotype
Reactivity
Clonality
Format

WB, IF, ICC
P62805
Rabbit
Rabbit
Rabbit
Rabbit
Human, Mouse
Monoclonal
Liquid

**Description** 

Anti-Histone H4 (mono methyl K16) HIST1H4A Rabbit Monoclonal Antibody . Tested in WB, ICC/IF applications. This antibody reacts with Human, Mouse.

## Anti-Histone H4 (mono methyl K16) HIST1H4A Rabbit Monoclonal Antibody - Additional Information

Gene ID 121504;554313;8294;8359;8360;8361;8362;8363;8364;8365;8366;8367;8368;8370

**Other Names** 

Histone H4, H4C1, H4/A, H4FA, HIST1H4A

Calculated MW 11367 MW KDa

**Application Details** 

WB 1:500-1:2000<br>ICC/IF 1:500-1:2000

**Subcellular Localization** 

Nucleus. Chromosome.

**Contents** 

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

**Immunogen** 

A synthesized peptide derived from human Histone H4 (mono methyl K16)

**Purification** 

Affinity-chromatography

Storage Store at -20°C for one year. For short term storage and frequent use, store at 4°C for

up to one month. Avoid repeated

freeze-thaw cycles.





# Anti-Histone H4 (mono methyl K16) HIST1H4A Rabbit Monoclonal Antibody - Protein Information

Name H4C1

Synonyms H4/A, H4FA, HIST1H4A

#### **Function**

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

### **Cellular Location**


Nucleus, Chromosome,

### Anti-Histone H4 (mono methyl K16) HIST1H4A Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

### Anti-Histone H4 (mono methyl K16) HIST1H4A Rabbit Monoclonal Antibody - Images



Western blot analysis of Histone H4 (mono methyl K16) expression in (1) NIH/3T3 cell lysate; (2) A549 cell lysate.