

**Anti-Human CD18 DyLight® 550 conjugated ITGB2 Antibody(monoclonal, 1A3/2A10)  
Catalog # ABO14806**

**Specification**

**Anti-Human CD18 DyLight® 550 conjugated ITGB2 Antibody(monoclonal, 1A3/2A10) -  
Product Information**

Application	FC
Primary Accession	<a href="#">P05107</a>
Host	Mouse
Isotype	Mouse IgG1
Reactivity	Human
Clonality	Monoclonal
Format	Liquid

**Description**

Anti-Human CD18 DyLight® 550 conjugated ITGB2 Antibody (monoclonal, 1A3/2A10) . Tested in Flow Cytometry applications. This antibody reacts with Human.

**Anti-Human CD18 DyLight® 550 conjugated ITGB2 Antibody(monoclonal, 1A3/2A10) -  
Additional Information**

**Gene ID** 3689

**Other Names**

Integrin beta-2, Cell surface adhesion glycoproteins LFA-1/CR3/p150, 95 subunit beta, Complement receptor C3 subunit beta, CD18, ITGB2, CD18, MFI7

**Application Details**

Flow Cytometry, 1-3 µg/1x10<sup>6</sup> cells

**Subcellular Localization**

Membrane; Single-pass type I membrane protein.

**Tissue Specificity**

Leukocytes.

**Contents**

Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na<sub>2</sub>HPO<sub>4</sub>, 0.02% Na<sub>3</sub>.

**Immunogen**

E.coli-derived human CD18 recombinant protein (Position: Q404-S769). Human CD18 shares 76% amino acid (aa) sequence identity with mouse CD18.

**Cross Reactivity**

No cross-reactivity with other proteins.

**Storage**

**At -20°C for one year from date of receipt.  
Avoid repeated freezing and thawing.  
Protect from light.**

## Anti-Human CD18 DyLight® 550 conjugated ITGB2 Antibody(monoclonal, 1A3/2A10) - Protein Information

**Name** ITGB2

**Synonyms** CD18, MFI7

### Function

Integrin ITGAL/ITGB2 is a receptor for ICAM1, ICAM2, ICAM3 and ICAM4. Integrin ITGAL/ITGB2 is also a receptor for the secreted form of ubiquitin-like protein ISG15; the interaction is mediated by ITGAL (PubMed:<a href="http://www.uniprot.org/citations/29100055" target="\_blank">29100055</a>). Integrins ITGAM/ITGB2 and ITGAX/ITGB2 are receptors for the iC3b fragment of the third complement component and for fibrinogen. Integrin ITGAX/ITGB2 recognizes the sequence G-P-R in fibrinogen alpha-chain. Integrin ITGAM/ITGB2 recognizes P1 and P2 peptides of fibrinogen gamma chain. Integrin ITGAM/ITGB2 is also a receptor for factor X. Integrin ITGAD/ITGB2 is a receptor for ICAM3 and VCAM1. Contributes to natural killer cell cytotoxicity (PubMed:<a href="http://www.uniprot.org/citations/15356110" target="\_blank">15356110</a>). Involved in leukocyte adhesion and transmigration of leukocytes including T-cells and neutrophils (PubMed:<a href="http://www.uniprot.org/citations/11812992" target="\_blank">11812992</a>, PubMed:<a href="http://www.uniprot.org/citations/28807980" target="\_blank">28807980</a>). Triggers neutrophil transmigration during lung injury through PTK2B/PYK2-mediated activation (PubMed:<a href="http://www.uniprot.org/citations/18587400" target="\_blank">18587400</a>). Integrin ITGAL/ITGB2 in association with ICAM3, contributes to apoptotic neutrophil phagocytosis by macrophages (PubMed:<a href="http://www.uniprot.org/citations/23775590" target="\_blank">23775590</a>). In association with alpha subunit ITGAM/CD11b, required for CD177-PRTN3- mediated activation of TNF primed neutrophils (PubMed:<a href="http://www.uniprot.org/citations/21193407" target="\_blank">21193407</a>).

### Cellular Location

Cell membrane; Single-pass type I membrane protein. Membrane raft; Single-pass type I membrane protein

### Tissue Location

Leukocytes (PubMed:23775590). Expressed in neutrophils (at protein level) (PubMed:21193407, PubMed:28807980)

## Anti-Human CD18 DyLight® 550 conjugated ITGB2 Antibody(monoclonal, 1A3/2A10) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## Anti-Human CD18 DyLight® 550 conjugated ITGB2 Antibody(monoclonal, 1A3/2A10) - Images

## Anti-Human CD18 DyLight® 550 conjugated ITGB2 Antibody(monoclonal, 1A3/2A10) - Background

ITGB2 (INTEGRIN, BETA-2), also known as CD18, is a protein that in humans is encoded by the ITGB2 gene. ITGB2 is an integrin protein that belongs to the class of cell membrane glycoproteins. The beta-2 integrin chain gene is designated ITGB2 and the leukocyte antigen has been designated CD18. The ITGB2 gene is mapped to 21q22.3. The expression of CD18 is increased in lymphoblastoid cells from persons with Down syndrome, consistent with the location of the gene on chromosome 21. In humans lack of ITGB2 causes Leukocyte Adhesion Deficiency, a disease defined by a lack of leukocyte extravasation from blood into tissues. Although ITGB2 is expressed on the cell surface at normal levels and is capable of function following extracellular stimulation, it could not be activated via the 'inside-out' signaling pathways.