

Anti-FNDC5 Rabbit Monoclonal Antibody Catalog # ABO15290

Specification

Anti-FNDC5 Rabbit Monoclonal Antibody - Product Information

Application	WB
Primary Accession	Q8NAU1
Host	Rabbit
Isotype	IgG
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Format	Liquid

Description

Anti-FNDC5 Rabbit Monoclonal Antibody . Tested in WB application. This antibody reacts with Human, Mouse, Rat.

Anti-FNDC5 Rabbit Monoclonal Antibody - Additional Information

Gene ID 252995

Other Names

Fibronectin type III domain-containing protein 5, Fibronectin type III repeat-containing protein 2, Irisin, FNDC5, FRCP2

Calculated MW

23 kDa KDa

Application Details

WB 1:500-1:2000

Contents

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

Immunogen

A synthesized peptide derived from human FNDC5

Purification

Affinity-chromatography

Storage

Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.

Anti-FNDC5 Rabbit Monoclonal Antibody - Protein Information

Name FNDC5

Synonyms FRCP2

Function

[Irisin]: Contrary to mouse, may not be involved in the beneficial effects of muscular exercise, nor in the induction of browning of human white adipose tissue.

Cellular Location

Cell membrane; Single-pass type I membrane protein Peroxisome membrane; Single-pass type I membrane protein. Note=Imported in peroxisomes through the PEX5 receptor pathway.

Tissue Location


Widely expressed, with highest levels in heart. Very low expression, if any, in colon, pancreas and spleen

Anti-FNDC5 Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-FNDC5 Rabbit Monoclonal Antibody - Images



Western blot analysis of FNDC5 expression in Rat muscle cell lysate.