

Anti-STC1 Rabbit Monoclonal Antibody

Catalog # ABO15856

Specification

Anti-STC1 Rabbit Monoclonal Antibody - Product Information

Application WB, IP
Primary Accession P52823
Host Rabbit
Isotype IgG
Reactivity Human
Clonality Monoclonal
Format Liquid

Description

Anti-STC1 Rabbit Monoclonal Antibody . Tested in WB, IP applications. This antibody reacts with Human.

Anti-STC1 Rabbit Monoclonal Antibody - Additional Information

Gene ID 6781

Other Names

Stanniocalcin-1, STC-1, STC1, STC

Calculated MW 31-37 kDa KDa

Application Details

WB 1:500-1:200
IP 1:50

Contents

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

Immunogen

A synthesized peptide derived from human STC1

Purification

Affinity-chromatography

Storage Store at -20°C for one year. For short term

storage and frequent use, store at 4°C for

up to one month. Avoid repeated

freeze-thaw cycles.

Anti-STC1 Rabbit Monoclonal Antibody - Protein Information

Name STC1



Synonyms STC

Function

Stimulates renal phosphate reabsorption, and could therefore prevent hypercalcemia.

Cellular Location

Secreted.

Tissue Location


Expressed in most tissues, with the highest levels in ovary, prostate, heart, kidney and thyroid. In the kidney, expression is confined to the nephron, specifically in the distal convoluted tubule and in the collecting tubule. Not detected in the brain, liver, spleen, peripheral blood leukocytes and adrenal medulla

Anti-STC1 Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-STC1 Rabbit Monoclonal Antibody - Images



Western blot analysis of STC1 expression in Human Prostate lysate.