

**Anti-Phospho-IKB alpha (Y42) Rabbit Monoclonal Antibody**  
Catalog # ABO16785**Specification****Anti-Phospho-IKB alpha (Y42) Rabbit Monoclonal Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">P25963</a>
Host	Rabbit
Isotype	Rabbit IgG
Reactivity	Human
Clonality	Monoclonal
Format	Liquid

**Description**

Anti-Phospho-IKB alpha (Y42) Rabbit Monoclonal Antibody . Tested in WB applications. This antibody reacts with Human.

**Anti-Phospho-IKB alpha (Y42) Rabbit Monoclonal Antibody - Additional Information**

**Gene ID** 4792

**Other Names**

NF-kappa-B inhibitor alpha, I-kappa-B-alpha, Ikb-alpha, IkappaBalpha, Major histocompatibility complex enhancer-binding protein MAD3, NFKBIA, IKBA, MAD3, NFKBI

**Application Details**

WB 1:500-1:2000

**Contents**

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

**Immunogen**

A synthesized peptide derived from human Phospho-IKB alpha (Y42)

**Purification**

Affinity-chromatography

**Storage**

**Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.**

**Anti-Phospho-IKB alpha (Y42) Rabbit Monoclonal Antibody - Protein Information**

**Name** NFKBIA

**Synonyms** IKBA, MAD3, NFKBI

**Function**

Inhibits the activity of dimeric NF-kappa-B/REL complexes by trapping REL (RELA/p65 and NFKB1/p50) dimers in the cytoplasm by masking their nuclear localization signals (PubMed:<a href="http://www.uniprot.org/citations/1493333" target="\_blank">1493333</a>, PubMed:<a href="http://www.uniprot.org/citations/36651806" target="\_blank">36651806</a>, PubMed:<a href="http://www.uniprot.org/citations/7479976" target="\_blank">7479976</a>). On cellular stimulation by immune and pro-inflammatory responses, becomes phosphorylated promoting ubiquitination and degradation, enabling the dimeric RELA to translocate to the nucleus and activate transcription (PubMed:<a href="http://www.uniprot.org/citations/7479976" target="\_blank">7479976</a>, PubMed:<a href="http://www.uniprot.org/citations/7628694" target="\_blank">7628694</a>, PubMed:<a href="http://www.uniprot.org/citations/7796813" target="\_blank">7796813</a>, PubMed:<a href="http://www.uniprot.org/citations/7878466" target="\_blank">7878466</a>).

**Cellular Location**

Cytoplasm. Nucleus. Note=Shuttles between the nucleus and the cytoplasm by a nuclear localization signal (NLS) and a CRM1-dependent nuclear export.

**Anti-Phospho-IKB alpha (Y42) Rabbit Monoclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Anti-Phospho-IKB alpha (Y42) Rabbit Monoclonal Antibody - Images**