



#### CD45RO

Mouse Monoclonal antibody(Mab)
Catalog # AD80011

## **Specification**

#### **CD45RO - Product info**

Application IHC-P, IHC
Primary Accession P08575
Reactivity Human
Host Mouse
Clonality Monoclonal
Calculated MW 147486

#### CD45RO - Additional info

Gene ID **5788** 

Gene Name PTPRC (HGNC:9666)

**Other Names** 

Receptor-type tyrosine-protein phosphatase C, 3.1.3.48, Leukocyte common antigen, L-CA, T200, CD45, PTPRC (<a href="http://www.genenames.org/cgi-bin/gene\_symbol\_report?hgnc\_id=9666" target=" blank">HGNC:9666</a>), CD45

**Dilution** 

IHC-P~~Ready-to-use IHC~~Ready-to-use

**Storage** 

Maintain refrigerated at 2-8°C

Precautions CD45RO Antibody is for research use only

and not for use in diagnostic or

therapeutic procedures.

### **CD45RO - Protein Information**

Name PTPRC (HGNC:9666)

Synonyms CD4:

Function

Protein tyrosine-protein phosphatase required for T-cell activation through the antigen receptor. Acts as a positive regulator of T-cell coactivation upon binding to DPP4. The first PTPase domain has enzymatic activity, while the second one seems to affect the substrate specificity of the first one. Upon T-cell activation, recruits and dephosphorylates SKAP1 and FYN. Dephosphorylates LYN, and thereby modulates LYN activity (By



Tel: 858.875.1900 Fax: 858.875.1999



Cellular Location

Tissue Location

similarity).

Cell membrane; Single-pass type I membrane protein. Membrane raft Note=Colocalized with DPP4 in membrane

**Isoform 1: Detected in thymocytes. Isoform** 2: Detected in thymocytes. Isoform 3: **Detected in thymocytes. Isoform 4: Not** detected in thymocytes. Isoform 5: **Detected in thymocytes Isoform 6: Not** detected in thymocytes. Isoform 7: **Detected in thymocytes. Isoform 8: Not** 


detected in thymocytes

## CD45RO - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# CD45RO - Images



Tonsil



Immunohistochemical analysis of paraffin-embedded human tonsil tissue using AD80011 performed on the Abcarta® FAIP-30 Fully automated IHC platform. Tissue was fixed with formaldehyde at room temperature, antigen retrieval was by heat mediation with a Citrate buffer





(pH6. 0). Samples were incubated with primary antibody (Ready-to-use) for 15 min at room temperature. AmpSeeTM Detection Systems [Abcepta: AR005] was used as the secondary antibody.