

**MBP**  
Rabbit Monoclonal antibody(Mab)  
Catalog # AD80097

## Specification

---

### MBP - Product info

Application	IHC-P, IHC
Primary Accession	<a href="#">P02686</a>
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal
Calculated MW	33117

### MBP - Additional info

Gene ID	4155
Gene Name	MBP

#### Other Names

Myelin basic protein, MBP, Myelin A1 protein, Myelin membrane encephalitogenic protein, MBP

#### Dilution

IHC-P~~Ready-to-use  
IHC~~Ready-to-use

Storage	<b>This product is stored at 2-202 °C, please use it within the expiration date.</b>
Precautions	<b>Myelin Basic Protein Antibody is for research use only and not for use in diagnostic or therapeutic procedures.</b>

### MBP - Protein Information

Name MBP

Function

**The classic group of MBP isoforms (isoform 4-isoform 14) are with PLP the most abundant protein components of the myelin membrane in the CNS. They have a role in both its formation and stabilization. The smaller isoforms might have an important role in remyelination of denuded axons in multiple sclerosis. The non-classic group of MBP isoforms (isoform 1-isoform 3/Golli-MBPs) may preferentially have a role in the early developing brain long before myelination, maybe as components of transcriptional complexes, and may also be involved in signaling pathways in T- cells and neural cells.**

Cellular Location

Tissue Location

Differential splicing events combined with optional post-translational modifications give a wide spectrum of isomers, with each of them potentially having a specialized function. Induces T-cell proliferation. Myelin membrane; Peripheral membrane protein; Cytoplasmic side.


Note=Cytoplasmic side of myelin MBP isoforms are found in both the central and the peripheral nervous system, whereas Golli-MBP isoforms are expressed in fetal thymus, spleen and spinal cord, as well as in cell lines derived from the immune system

### MBP - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### MBP - Images



Brain tissue



Immunohistochemical analysis of paraffin-embedded human brain tissue using AD80097 performed on the Abcarta® FAIP-30 Fully automated IHC platform. Tissue was fixed with

formaldehyde at room temperature, antigen retrieval was by heat mediation with a Citrate buffer (pH6.0). Samples were incubated with primary antibody (Ready-to-use) for 15 min at room temperature. AmpSee™ Detection Systems [Abcepta:AR005] was used as the secondary antibody.