

**CD30**  
**Mouse Monoclonal antibody(Mab)**  
**Catalog # AD80137**

**Specification**

---

**CD30 - Product info**

Application	<b>IHC-P</b>
Primary Accession	<a href="#">P28908</a>
Reactivity	<b>Human</b>
Host	<b>Mouse</b>
Clonality	<b>Monoclonal</b>
Calculated MW	<b>63747</b>

**CD30 - Additional info**

Gene ID **943**

**Other Names**

Tumor necrosis factor receptor superfamily member 8 {ECO:0000312|HGNC:HGNC:11923}, CD30L receptor, Ki-1 antigen, Lymphocyte activation antigen CD30, CD30, TNFRSF8 (<a href="http://www.genenames.org/cgi-bin/gene\_symbol\_report?hgnc\_id=11923" target="\_blank">HGNC:11923</a>)

**Dilution**

IHC-P~~Ready-to-use

**Storage**

**This product is stored at 2-331 °C, please use it within the expiration date.**

**CD30 - Protein Information**

**Name** TNFRSF8 ([HGNC:11923](#))

**Function**

**Receptor for TNFSF8/CD30L (PubMed:[8391931](#)). May play a role in the regulation of cellular growth and transformation of activated lymphoblasts. Regulates gene expression through activation of NF-kappa- B (PubMed:[8999898](#)).**

**Cellular Location**

**[Isoform 1]: Cell membrane; Single-pass type I membrane protein**

**Tissue Location**


**[Isoform 2]: Detected in alveolar macrophages (at protein level).**

**CD30 - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**CD30 - Images**



Hodgkins lymphoma