

**PRDM10 Antibody (C-Term)**  
Peptide-affinity purified goat antibody  
Catalog # AF2295a

**Specification**

---

**PRDM10 Antibody (C-Term) - Product Information**

Application	E
Primary Accession	<a href="#">O9NOV6</a>
Other Accession	<a href="#">NP_064613.2</a> , <a href="#">NP_955469.1</a> , <a href="#">NP_955470.1</a> , <a href="#">NP_955471.1</a> , <a href="#">56980</a>
Predicted Host	Human, Dog
Clonality	Goat
Concentration	Polyclonal
Isotype	0.5 mg/ml
Calculated MW	IgG
	130136

**PRDM10 Antibody (C-Term) - Additional Information**

**Gene ID** 56980

**Other Names**

PR domain zinc finger protein 10, 2.1.1.-, PR domain-containing protein 10, Tristanin, PRDM10, KIAA1231, PFM7, TRIS

**Format**

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

PRDM10 Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

**PRDM10 Antibody (C-Term) - Protein Information**

**Name** PRDM10

**Synonyms** KIAA1231, PFM7, TRIS

**Function**

Acts as a transcriptional activator of FLNC expression.

**Cellular Location**

Nucleus.

### **PRDM10 Antibody (C-Term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### **PRDM10 Antibody (C-Term) - Images**

### **PRDM10 Antibody (C-Term) - References**

SET-domain proteins of the Su(var)3-9, E(z) and trithorax families. Alvarez-Venegas R, Avramova Z. Gene. 2002 Feb 20;285(1-2):25-37. Review. PMID: 12039029