

**PACAP Antibody (C-Term)**  
Peptide-affinity purified goat antibody  
Catalog # AF2972a

**Specification**

---

**PACAP Antibody (C-Term) - Product Information**

Application	WB
Primary Accession	<a href="#">P18509</a>
Other Accession	<a href="#">NP_001108.2</a> , <a href="#">116</a> , <a href="#">11516 (mouse)</a> , <a href="#">24166 (rat)</a>
Reactivity	Human
Predicted	Mouse, Rat, Pig, Dog
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG
Calculated MW	18835

**PACAP Antibody (C-Term) - Additional Information**

**Gene ID** 116

**Other Names**

Pituitary adenylate cyclase-activating polypeptide, PACAP, PACAP-related peptide, PRP-48, Pituitary adenylate cyclase-activating polypeptide 27, PACAP-27, PACAP27, Pituitary adenylate cyclase-activating polypeptide 38, PACAP-38, PACAP38, ADCYAP1

**Format**

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

PACAP Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

**PACAP Antibody (C-Term) - Protein Information**

**Name** ADCYAP1 ([HGNC:241](#))

**Function**

PACAP is a neuropeptide involved in diverse array of physiological processes through activating the PACAP subfamily of class B1 G protein-coupled receptors: VIP receptor 1 (VIPR1), VIP receptor 2 (VIPR2), and PACAP type I receptor (ADCYAP1R1) (PubMed:<a href="http://www.uniprot.org/citations/11175907" target="\_blank">11175907</a>, PubMed:<a href="http://www.uniprot.org/citations/23800469" target="\_blank">23800469</a>, PubMed:<a href="http://www.uniprot.org/citations/23800469" target="\_blank">23800469</a>, PubMed:<a href="http://www.uniprot.org/citations/23800469" target="\_blank">23800469</a>, PubMed:<a href="http://www.uniprot.org/citations/23800469" target="\_blank">23800469</a>)

href="http://www.uniprot.org/citations/32047270" target="\_blank">32047270</a>, PubMed:<a href="http://www.uniprot.org/citations/36385145" target="\_blank">36385145</a>). Exerts neuroprotective and general cytoprotective effects due to anti-apoptotic, anti-inflammatory, and antioxidant actions (PubMed:<a href="http://www.uniprot.org/citations/23800469" target="\_blank">23800469</a>). Promotes neuron projection development through the RAGGEF2/Rap1/B-Raf/ERK pathway (PubMed:<a href="http://www.uniprot.org/citations/23800469" target="\_blank">23800469</a>). In chromaffin cells, induces long-lasting increase of intracellular calcium concentrations and neuroendocrine secretion (By similarity). Involved in the control of glucose homeostasis, induces insulin secretion by pancreatic beta cells (By similarity). PACAP exists in two bioactive forms from proteolysis of the same precursor protein, PACAP27 and PACAP38, which differ by eleven amino acid residues in the C-terminus (PubMed:<a href="http://www.uniprot.org/citations/32047270" target="\_blank">32047270</a>).

### Cellular Location


Secreted.

### PACAP Antibody (C-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### PACAP Antibody (C-Term) - Images



AF2972a (1 µg/ml) staining of Human Hippocampus lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

### PACAP Antibody (C-Term) - Background

Reported variants represent identical protein: NP\_001093203.1, NP\_001108.2.

**PACAP Antibody (C-Term) - References**

Novel stable PACAP analogs with potent activity towards the PAC1 receptor. Bourgault S, Vaudry D, Botia B, Couvineau A, Laburthe M, Vaudry H, Fournier A. Peptides 2008 Jun 29 (6): 919-32. PMID: 18353507