

ALDH6A1 (aa487-496) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF3361a

Specification

ALDH6A1 (aa487-496) Antibody (internal region) - Product Information

| | |
|-------------------|---|
| Application | WB, IHC |
| Primary Accession | Q02252 |
| Other Accession | NP_005580.1 , 4329 , 104776 (mouse) , 81708 (rat) |
| Reactivity | Human, Mouse, Rat |
| Predicted | Pig, Dog |
| Host | Goat |
| Clonality | Polyclonal |
| Concentration | 0.5 mg/ml |
| Isotype | IgG |
| Calculated MW | 57840 |

ALDH6A1 (aa487-496) Antibody (internal region) - Additional Information

Gene ID [4329](#)

Other Names

Methylmalonate-semialdehyde dehydrogenase [acylating], mitochondrial, MMSDH, Malonate-semialdehyde dehydrogenase [acylating], 1.2.1.18, 1.2.1.27, Aldehyde dehydrogenase family 6 member A1, ALDH6A1, MMSDH

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ALDH6A1 (aa487-496) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

ALDH6A1 (aa487-496) Antibody (internal region) - Protein Information

Name ALDH6A1 ([HGNC:7179](#))

Function

Malonate and methylmalonate semialdehyde dehydrogenase involved in the catabolism of valine, thymine, and compounds catabolized by way of beta-alanine, including uracil and cytidine.

Cellular Location


Mitochondrion.

ALDH6A1 (aa487-496) Antibody (internal region) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ALDH6A1 (aa487-496) Antibody (internal region) - Images



AF3361a (0.1 $\mu\text{g/ml}$) staining of Mouse Kidney lysate (35 μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



AF3361a (5 $\mu\text{g/ml}$) staining of paraffin embedded Human Liver. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.

ALDH6A1 (aa487-496) Antibody (internal region) - References

Tissue distribution, ontogeny, and regulation of aldehyde dehydrogenase (Aldh) enzymes mRNA by

prototypical microsomal enzyme inducers in mice. Alnouti Y, Klaassen CD. Toxicol Sci. 2008 Jan;101(1):51-64. PMID: 17998271