

LDHA Antibody (C-Term)
Peptide-affinity purified goat antibody
Catalog # AF4086a

Specification

LDHA Antibody (C-Term) - Product Information

Application	WB
Primary Accession	P00338
Other Accession	NP_005557.1 , NP_001128711.1 , NP_001158886.1 , 3939
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG
Calculated MW	36689

LDHA Antibody (C-Term) - Additional Information

Gene ID 3939

Other Names

L-lactate dehydrogenase A chain, LDH-A, 1.1.1.27, Cell proliferation-inducing gene 19 protein, LDH muscle subunit, LDH-M, Renal carcinoma antigen NY-REN-59, LDHA

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

LDHA Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

LDHA Antibody (C-Term) - Protein Information

Name LDHA ([HGNC:6535](#))

Function

Interconverts simultaneously and stereospecifically pyruvate and lactate with concomitant interconversion of NADH and NAD(+).

Cellular Location

Cytoplasm.

Tissue Location


Predominantly expressed in anaerobic tissues such as skeletal muscle and liver.

LDHA Antibody (C-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LDHA Antibody (C-Term) - Images



AF4086a (0.3 $\mu\text{g/ml}$) staining of Heart (A), Skeletal Muscle (B) and Kidney (C) lysates (35 μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

LDHA Antibody (C-Term) - Background

This antibody is expected to recognize isoform 1, 2 and 3 (NP_005557.1; NP_001128711.1; NP_001158886.1).

LDHA Antibody (C-Term) - References

Inhibition of LDH-A by lentivirus-mediated small interfering RNA suppresses intestinal-type gastric cancer tumorigenicity through the downregulation of Oct4. Zhang Y, Zhang X, Wang X, Gan L, Yu G, Chen Y, Liu K, Li P, Pan J, Wang J, Qin S. Cancer letters 2012 Aug 321 (1): 45-54. PMID: 22429998