

SOX15 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI10084**Specification**

SOX15 antibody - middle region - Product Information

Application	WB
Primary Accession	O60248
Other Accession	O60248 , NP_008873 , NM_006942
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Bovine
Predicted Host	Human, Mouse, Dog, Guinea Pig, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 25 kDa KDa

SOX15 antibody - middle region - Additional Information**Gene ID** 6665**Alias Symbol** **SOX20, SOX26, SOX27****Other Names**

Protein SOX-15, Protein SOX-12, Protein SOX-20, SOX15, SOX12, SOX20, SOX26, SOX27

Target/Specificity

SOX15 is a member of the SOX (SRY-related HMG-box) family of transcription factors involved in the regulation of embryonic development and in the determination of the cell fate. The protein may act as a transcriptional regulator after forming a protein complex with other proteins. This gene encodes a member of the SOX (SRY-related HMG-box) family of transcription factors involved in the regulation of embryonic development and in the determination of the cell fate. The encoded protein may act as a transcriptional regulator after forming a protein complex with other proteins.

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SOX15 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

SOX15 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

SOX15 antibody - middle region - Protein Information**Name** SOX15**Synonyms** SOX12, SOX20, SOX26, SOX27

Function

Transcription factor that binds to DNA at the 5'-ACAATG-3' consensus sequence (By similarity). Acts as a transcriptional activator and repressor (By similarity). Binds synergistically with POU5F1 (OCT3/4) to gene promoters (By similarity). Binds to the FOXX1 promoter and recruits FHL3, resulting in transcriptional activation of FOXX1 which leads to myoblast proliferation (By similarity). Acts as an inhibitor of myoblast differentiation via transcriptional repression which leads to down-regulation of the muscle-specific genes MYOD and MYOG (By similarity). Involved in trophoblast giant cell differentiation via enhancement of HAND1 transcriptional activity (By similarity). Regulates transcription of HRC via binding to its proximal enhancer region (By similarity). Involved in skeletal muscle regeneration (By similarity). Also plays a role in the development of myogenic precursor cells (By similarity).

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00267}.


Tissue Location

Widely expressed in fetal and adult tissues examined, highest level found in fetal spinal cord and adult brain and testis.

SOX15 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SOX15 antibody - middle region - Images

SOX15 antibody - middle region (AI10084) in Transfected 293T cells using Western Blot
WB Suggested Anti-SOX15 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:62500
Positive Control: Transfected 293T

SOX15 antibody - middle region - Background

This is a rabbit polyclonal antibody against SOX15. It was validated on Western Blot using a cell lysate as a positive control. Abgent strives to provide antibodies covering each member of a whole

protein family of your interest. We also use our best efforts to provide you antibodies recognize various epitopes of a target protein. For availability of antibody needed for your experiment, please inquire (sales@abgent.com).