

ACBD4 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13095

Specification

ACBD4 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8NC06
Other Accession	NM_024722 , NP_078998
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Mouse, Rat, Rabbit, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 35kDa KDa

ACBD4 antibody - N-terminal region - Additional Information

Gene ID 79777

Alias Symbol FLJ13322, FLJ90623, HMFT0700
Other Names
Acyl-CoA-binding domain-containing protein 4, ACBD4

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ACBD4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ACBD4 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ACBD4 antibody - N-terminal region - Protein Information

Name ACBD4

Function


Binds medium- and long-chain acyl-CoA esters and may function as an intracellular carrier of acyl-CoA esters.

ACBD4 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ACBD4 antibody - N-terminal region - Images



WB Suggested Anti-ACBD4 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:62500

Positive Control: Transfected 293T

ACBD4 antibody - N-terminal region - References

Yamada S., et al. *Oncogene* 23:5901-5911(2004).

Ota T., et al. *Nat. Genet.* 36:40-45(2004).

Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.