

UQCC Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15323**Specification**

UQCC Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	B1AKV5
Other Accession	NM_001184977 , NP_001171906
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	27kDa KDa

UQCC Antibody - N-terminal region - Additional Information

Alias Symbol	BFZB, C20orf44, CBP3, MGC104353, MGC141902
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-UQCC antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


UQCC Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

UQCC Antibody - N-terminal region - Protein Information**UQCC Antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

UQCC Antibody - N-terminal region - Images



WB Suggested Anti-UQCC Antibody Titration: 1.0 $\mu\text{g/ml}$
Positive Control: Placenta