

NDNF Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15674**Specification**

NDNF Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8TB73
Other Accession	NM_024574 , NP_078850
Reactivity	Human, Pig
Predicted	Human, Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	62kDa KDa

NDNF Antibody - N-terminal region - Additional Information**Gene ID** 79625**Alias Symbol** **C4orf31**
Other Names
Protein NDNF, Neuron-derived neurotrophic factor, NDNF, C4orf31**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-NDNF antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

NDNF Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

NDNF Antibody - N-terminal region - Protein Information**Name** NDNF**Synonyms** C4orf31**Function**

Secretory protein that plays a role in various cellular processes (PubMed:20969804, PubMed:24706764, PubMed:31883645). Acts as a chemorepellent acting on gonadotropin-releasing hormone (GnRH) expressing neurons regulating their migration to the hypothalamus (PubMed:31883645). Also

promotes neuron migration, growth and survival as well as neurite outgrowth and is involved in the development of the olfactory system (PubMed:20969804, PubMed:31883645). May also act through the regulation of growth factors activity and downstream signaling (PubMed:31883645). Also regulates extracellular matrix assembly and cell adhesiveness (By similarity). Promotes endothelial cell survival, vessel formation and plays an important role in the process of revascularization through NOS3-dependent mechanisms (PubMed:24706764).

Cellular Location

Secreted

Tissue Location


Expressed in neurons along the gonadotropin- releasing hormone (GnRH) expressing neurons migratory route

NDNF Antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NDNF Antibody - N-terminal region - Images



Host: Rabbit
Target Name: NDNF
Sample Tissue: Jurkat Whole cell lysate
s
Antibody Dilution: 1.0µg/ml

NDNF Antibody - N-terminal region - References

Clark H.F.,et al.Genome Res. 13:2265-2270(2003).
Ota T.,et al.Nat. Genet. 36:40-45(2004).

Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
Kuang X.L.,et al.BMC Neurosci. 11:137-137(2010).