

LPP3 / PPAP2B Antibody
Rabbit Polyclonal Antibody
Catalog # ALS11511**Specification**

LPP3 / PPAP2B Antibody - Product Information

| | |
|-------------------|------------------------|
| Application | IHC |
| Primary Accession | O14495 |
| Reactivity | Human |
| Host | Rabbit |
| Clonality | Polyclonal |
| Calculated MW | 35kDa KDa |

LPP3 / PPAP2B Antibody - Additional Information**Gene ID** 8613**Other Names**

Lipid phosphate phosphohydrolase 3, 3.1.3.4, PAP2-beta, Phosphatidate phosphohydrolase type 2b, Phosphatidic acid phosphatase 2b, PAP-2b, PAP2b, Vascular endothelial growth factor and type I collagen-inducible protein, VCIP, PPAP2B, LPP3

Reconstitution & Storage

Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.

Precautions

LPP3 / PPAP2B Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

LPP3 / PPAP2B Antibody - Protein Information**Name** PLPP3 ([HGNC:9229](#))**Synonyms** LPP3, PPAP2B**Function**

Magnesium-independent phospholipid phosphatase of the plasma membrane that catalyzes the dephosphorylation of a variety of glycerolipid and sphingolipid phosphate esters including phosphatidate/PA, lysophosphatidate/LPA, diacylglycerol pyrophosphate/DGPP, sphingosine 1-phosphate/S1P and ceramide 1-phosphate/C1P (PubMed:27694435, PubMed:9607309, PubMed:9705349). Also acts on N-oleoyl ethanolamine phosphate/N-(9Z-octadecenoyl)- ethanolamine phosphate, a potential physiological compound (PubMed:9607309). Has both an extracellular and an intracellular phosphatase activity, allowing the hydrolysis and the cellular uptake of these bioactive lipid mediators from the milieu, regulating signal transduction in different cellular processes (PubMed:23591818, PubMed:27694435, PubMed:9607309). Through the dephosphorylation of extracellular sphingosine-1-phosphate and the regulation of its extra- and intracellular availability, plays a role in vascular homeostasis, regulating endothelial cell migration, adhesion, survival, proliferation and the production of pro-inflammatory cytokines (PubMed:27694435). By maintaining the appropriate levels of this lipid in the cerebellum, also ensure its proper development and function (By similarity). Through its intracellular lipid phosphatase activity may act in early compartments of the secretory pathway, regulating the formation of Golgi to endoplasmic reticulum retrograde transport carriers (PubMed:23591818).

Cellular Location

Cell membrane; Multi-pass membrane protein {ECO:0000250|UniProtKB:P97544}. Basolateral cell membrane; Multi-pass membrane protein {ECO:0000250|UniProtKB:P97544}. Endoplasmic reticulum membrane; Multi-pass membrane protein {ECO:0000250|UniProtKB:P97544}. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein {ECO:0000250|UniProtKB:P97544}. Golgi apparatus membrane; Multi-pass membrane protein {ECO:0000250|UniProtKB:P97544}. Golgi apparatus, trans-Golgi network membrane; Multi-pass membrane protein {ECO:0000250|UniProtKB:P97544}. Membrane raft; Multi-pass membrane protein {ECO:0000250|UniProtKB:P97544}. Note=Cycles between the endoplasmic reticulum and the Golgi.

Tissue Location

Ubiquitously expressed (PubMed:12660161, PubMed:9305923). Highly expressed in heart and placenta (PubMed:9305923).


LPP3 / PPAP2B Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LPP3 / PPAP2B Antibody - Images





Anti-PPAP2B antibody IHC of human placenta.

LPP3 / PPAP2B Antibody - Background

Catalyzes the conversion of phosphatidic acid (PA) to diacylglycerol (DG). In addition it hydrolyzes lysophosphatidic acid (LPA), ceramide-1-phosphate (C-1-P) and sphingosine-1-phosphate (S-1-P). The relative catalytic efficiency is LPA = PA > C-1-P > S-1-P. May be involved in cell adhesion and in cell-cell interactions.

LPP3 / PPAP2B Antibody - References

- Kai M., et al. J. Biol. Chem. 272:24572-24578(1997).
- Roberts R., et al. J. Biol. Chem. 273:22059-22067(1998).
- Humtsoe J.O., et al. EMBO J. 22:1539-1554(2003).
- Leung D.W., et al. Submitted (JAN-1998) to the EMBL/GenBank/DDBJ databases.
- Yu W., et al. Genome Res. 7:353-358(1997).