

**ACTB / Beta Actin Antibody (C-Terminus)**  
**Rabbit Polyclonal Antibody**  
**Catalog # ALS11610****Specification**

---

**ACTB / Beta Actin Antibody (C-Terminus) - Product Information**

Application	IHC
Primary Accession	<a href="#">P60709</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	42kDa KDa

**ACTB / Beta Actin Antibody (C-Terminus) - Additional Information****Gene ID** 60**Other Names**

Actin, cytoplasmic 1, Beta-actin, Actin, cytoplasmic 1, N-terminally processed, ACTB

**Target/Specificity**

A sixteen amino acid peptide near the C-terminus of human beta actin

**Reconstitution & Storage**

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

**Precautions**

ACTB / Beta Actin Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

**ACTB / Beta Actin Antibody (C-Terminus) - Protein Information****Name** ACTB**Function**

Actin is a highly conserved protein that polymerizes to produce filaments that form cross-linked networks in the cytoplasm of cells (PubMed: [25255767](http://www.uniprot.org/citations/25255767), PubMed: [29581253](http://www.uniprot.org/citations/29581253)). Actin exists in both monomeric (G-actin) and polymeric (F-actin) forms, both forms playing key functions, such as cell motility and contraction (PubMed: [29581253](http://www.uniprot.org/citations/29581253)). In addition to their role in the cytoplasmic cytoskeleton, G- and F- actin also localize in the nucleus, and regulate gene transcription and motility and repair of damaged DNA (PubMed: [29925947](http://www.uniprot.org/citations/29925947)). Part of the ACTR1A/ACTB filament around which the dynactin complex is built. The dynactin multiprotein complex activates the molecular motor dynein for ultra-processive transport along microtubules (By similarity).

### Cellular Location

Cytoplasm, cytoskeleton. Nucleus Note=Localized in cytoplasmic mRNP granules containing untranslated mRNAs.

### Volume


250  $\mu$ l

### ACTB / Beta Actin Antibody (C-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### ACTB / Beta Actin Antibody (C-Terminus) - Images



Anti-Beta Actin antibody IHC of human prostate.



Anti-Beta Actin antibody IHC of human skin.

### ACTB / Beta Actin Antibody (C-Terminus) - Background

Actins are highly conserved proteins that are involved in various types of cell motility and are ubiquitously expressed in all eukaryotic cells.

#### **ACTB / Beta Actin Antibody (C-Terminus) - References**

- Ponte P., et al. Nucleic Acids Res. 12:1687-1696(1984).  
Nakajima-Iijima S., et al. Proc. Natl. Acad. Sci. U.S.A. 82:6133-6137(1985).  
Ohmori H., et al. J. Cell Biol. 116:933-941(1992).  
Hillier L.W., et al. Nature 424:157-164(2003).  
Gevaert K., et al. Nat. Biotechnol. 21:566-569(2003).