

IFN Beta / Interferon Beta Antibody (Internal)
Rabbit Polyclonal Antibody
Catalog # ALS11689**Specification**

IFN Beta / Interferon Beta Antibody (Internal) - Product Information

Application	IHC
Primary Accession	P01574
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	22kDa KDa

IFN Beta / Interferon Beta Antibody (Internal) - Additional Information**Gene ID** 3456**Other Names**

Interferon beta, IFN-beta, Fibroblast interferon, IFNB1, IFB, IFNB

Target/Specificity

an 17 amino acid peptide from near the center of human IFN-b

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

IFN Beta / Interferon Beta Antibody (Internal) is for research use only and not for use in diagnostic or therapeutic procedures.

IFN Beta / Interferon Beta Antibody (Internal) - Protein Information**Name** IFNB1 ([HGNC:5434](#))**Synonyms** IFB, IFNB**Function**

Type I interferon cytokine that plays a key role in the innate immune response to infection, developing tumors and other inflammatory stimuli (PubMed:[10049744](http://www.uniprot.org/citations/10049744), PubMed:[10556041](http://www.uniprot.org/citations/10556041), PubMed:[6157094](http://www.uniprot.org/citations/6157094), PubMed:[6171735](http://www.uniprot.org/citations/6171735), PubMed:[7665574](http://www.uniprot.org/citations/7665574), PubMed:[8027027](http://www.uniprot.org/citations/8027027), PubMed:[8969169](http://www.uniprot.org/citations/8969169)). Signals via binding to high-affinity (IFNAR2) and low-affinity (IFNAR1) heterodimeric receptor, activating the canonical Jak-STAT signaling pathway resulting in transcriptional activation or repression of

interferon-regulated genes that encode the effectors of the interferon response, such as antiviral proteins, regulators of cell proliferation and differentiation, and immunoregulatory proteins (PubMed:10049744, PubMed:10556041, PubMed:7665574, PubMed:8027027, PubMed:8969169). Signals mostly via binding to a IFNAR1-IFNAR2 heterodimeric receptor, but can also function with IFNAR1 alone and independently of Jak-STAT pathways (By similarity). Elicits a wide variety of responses, including antiviral and antibacterial activities, and can regulate the development of B-cells, myelopoiesis and lipopolysaccharide (LPS)- inducible production of tumor necrosis factor (By similarity). Plays a role in neuronal homeostasis by regulating dopamine turnover and protecting dopaminergic neurons: acts by promoting neuronal autophagy and alpha-synuclein clearance, thereby preventing dopaminergic neuron loss (By similarity). IFNB1 is more potent than interferon-alpha (IFN- alpha) in inducing the apoptotic and antiproliferative pathways required for control of tumor cell growth (By similarity).

Cellular Location


Secreted.

IFN Beta / Interferon Beta Antibody (Internal) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

IFN Beta / Interferon Beta Antibody (Internal) - Images



Anti-Interferon Beta antibody IHC of human lung.

IFN Beta / Interferon Beta Antibody (Internal) - Background

Has antiviral, antibacterial and anticancer activities.

IFN Beta / Interferon Beta Antibody (Internal) - References

- Lawn R.M.,et al.Nucleic Acids Res. 9:1045-1052(1981).
Ohno S.,et al.Proc. Natl. Acad. Sci. U.S.A. 78:5305-5309(1981).
Taniguchi T.,et al.Gene 10:11-15(1980).
Derynck R.,et al.Nature 285:542-547(1980).
Houghton M.,et al.Nucleic Acids Res. 8:2885-2894(1980).