

**ITGB2 / CD18 Antibody (clone MEM-48)**  
**Mouse Monoclonal Antibody**  
**Catalog # ALS11971**

**Specification**

---

**ITGB2 / CD18 Antibody (clone MEM-48) - Product Information**

Application	IHC
Primary Accession	<a href="#">P05107</a>
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	85kDa KDa

**ITGB2 / CD18 Antibody (clone MEM-48) - Additional Information**

**Gene ID** 3689

**Other Names**

Integrin beta-2, Cell surface adhesion glycoproteins LFA-1/CR3/p150, 95 subunit beta, Complement receptor C3 subunit beta, CD18, ITGB2, CD18, MFI7

**Target/Specificity**

Leukocytes of a patient suffering from a LGL-type leukemia

**Reconstitution & Storage**

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

**Precautions**

ITGB2 / CD18 Antibody (clone MEM-48) is for research use only and not for use in diagnostic or therapeutic procedures.

**ITGB2 / CD18 Antibody (clone MEM-48) - Protein Information**

**Name** ITGB2

**Synonyms** CD18, MFI7

**Function**

Integrin ITGAL/ITGB2 is a receptor for ICAM1, ICAM2, ICAM3 and ICAM4. Integrin ITGAL/ITGB2 is also a receptor for the secreted form of ubiquitin-like protein ISG15; the interaction is mediated by ITGAL (PubMed: <http://www.uniprot.org/citations/29100055> target="\_blank">29100055</a>). Integrins ITGAM/ITGB2 and ITGAX/ITGB2 are receptors for the iC3b fragment of the third complement component and for fibrinogen. Integrin ITGAX/ITGB2 recognizes the sequence G-P-R in fibrinogen alpha-chain. Integrin ITGAM/ITGB2 recognizes P1 and P2 peptides of fibrinogen gamma chain. Integrin ITGAM/ITGB2 is also a receptor for factor X. Integrin ITGAD/ITGB2 is a receptor for ICAM3 and VCAM1. Contributes to natural killer cell cytotoxicity (PubMed: <http://www.uniprot.org/citations/15356110> target="\_blank">15356110</a>). Involved in leukocyte adhesion and transmigration of

leukocytes including T-cells and neutrophils (PubMed:<a href="http://www.uniprot.org/citations/11812992" target="\_blank">11812992</a>, PubMed:<a href="http://www.uniprot.org/citations/28807980" target="\_blank">28807980</a>). Triggers neutrophil transmigration during lung injury through PTK2B/PYK2-mediated activation (PubMed:<a href="http://www.uniprot.org/citations/18587400" target="\_blank">18587400</a>). Integrin ITGAL/ITGB2 in association with ICAM3, contributes to apoptotic neutrophil phagocytosis by macrophages (PubMed:<a href="http://www.uniprot.org/citations/23775590" target="\_blank">23775590</a>). In association with alpha subunit ITGAM/CD11b, required for CD177-PRTN3- mediated activation of TNF primed neutrophils (PubMed:<a href="http://www.uniprot.org/citations/21193407" target="\_blank">21193407</a>).

#### Cellular Location

Cell membrane; Single-pass type I membrane protein. Membrane raft; Single-pass type I membrane protein

#### Tissue Location


Leukocytes (PubMed:23775590). Expressed in neutrophils (at protein level) (PubMed:21193407, PubMed:28807980)

### ITGB2 / CD18 Antibody (clone MEM-48) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### ITGB2 / CD18 Antibody (clone MEM-48) - Images



Anti-ITGB2 / CD18 antibody IHC of human brain, cerebellum.

### ITGB2 / CD18 Antibody (clone MEM-48) - Background

Integrin alpha-L/beta-2 is a receptor for ICAM1, ICAM2, ICAM3 and ICAM4. Integrins alpha-M/beta-2 and alpha-X/beta-2 are receptors for the iC3b fragment of the third complement component and for fibrinogen. Integrin alpha-X/beta-2 recognizes the sequence G-P-R in fibrinogen alpha-chain.

Integrin alpha-M/beta-2 recognizes P1 and P2 peptides of fibrinogen gamma chain. Integrin alpha-M/beta-2 is also a receptor for factor X. Integrin alpha- D/beta-2 is a receptor for ICAM3 and VCAM1. Triggers neutrophil transmigration during lung injury through PTK2B/PYK2-mediated activation.

#### **ITGB2 / CD18 Antibody (clone MEM-48) - References**

Kishimoto T.K.,et al.Cell 48:681-690(1987).

Weitzman J.B.,et al.FEBS Lett. 294:97-103(1991).

Ota T.,et al.Nat. Genet. 36:40-45(2004).

Suzuki Y.,et al.Submitted (APR-2005) to the EMBL/GenBank/DDBJ databases.

Hattori M.,et al.Nature 405:311-319(2000).