

**B2M / Beta 2 Microglobulin Antibody (clone 2M2)**  
**Mouse Monoclonal Antibody**  
**Catalog # ALS12168****Specification**

---

**B2M / Beta 2 Microglobulin Antibody (clone 2M2) - Product Information**

Application	IHC
Primary Accession	<a href="#">P61769</a>
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	14kDa KDa

**B2M / Beta 2 Microglobulin Antibody (clone 2M2) - Additional Information****Gene ID** 567**Other Names**

Beta-2-microglobulin, Beta-2-microglobulin form pl 5.3, B2M

**Target/Specificity**

Purified human beta-2-microglobulin.

**Reconstitution & Storage**

Store at +4°C

**Precautions**

B2M / Beta 2 Microglobulin Antibody (clone 2M2) is for research use only and not for use in diagnostic or therapeutic procedures.

**B2M / Beta 2 Microglobulin Antibody (clone 2M2) - Protein Information****Name** B2M ([HGNC:914](#))**Function**

Component of the class I major histocompatibility complex (MHC). Involved in the presentation of peptide antigens to the immune system. Exogenously applied M.tuberculosis EsxA or EsxA-EsxB (or EsxA expressed in host) binds B2M and decreases its export to the cell surface (total protein levels do not change), probably leading to defects in class I antigen presentation (PubMed:&lt;a href="http://www.uniprot.org/citations/25356553" target="\_blank"&gt;25356553&lt;/a&gt;).

**Cellular Location**


Secreted. Cell surface. Note=Detected in serum and urine (PubMed:1336137, PubMed:7554280). {ECO:0000269|PubMed:7554280, ECO:0000269|Ref.6}

**B2M / Beta 2 Microglobulin Antibody (clone 2M2) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **B2M / Beta 2 Microglobulin Antibody (clone 2M2) - Images**



Anti-B2M antibody IHC of human liver.

#### **B2M / Beta 2 Microglobulin Antibody (clone 2M2) - Background**

Component of the class I major histocompatibility complex (MHC). Involved in the presentation of peptide antigens to the immune system.

#### **B2M / Beta 2 Microglobulin Antibody (clone 2M2) - References**

- Guessow D., et al. J. Immunol. 139:3132-3138(1987).  
He X.H., et al. Sheng Wu Gong Cheng Xue Bao 20:99-103(2004).  
Matsumoto K., et al. Submitted (DEC-1998) to the EMBL/GenBank/DDBJ databases.  
Tan J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.  
Zhao Z., et al. Submitted (JUN-1998) to the EMBL/GenBank/DDBJ databases.