

KRT14 / CK14 / Cytokeratin 14 Antibody (C-Terminus, clone D19-N)
Rabbit Polyclonal Antibody
Catalog # ALS13061

Specification

KRT14 / CK14 / Cytokeratin 14 Antibody (C-Terminus, clone D19-N) - Product Information

Application	IHC
Primary Accession	P02533
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	52kDa KDa

KRT14 / CK14 / Cytokeratin 14 Antibody (C-Terminus, clone D19-N) - Additional Information

Gene ID 3861

Other Names

Keratin, type I cytoskeletal 14, Cytokeratin-14, CK-14, Keratin-14, K14, KRT14

Target/Specificity

Human Cytokeratin 14

Reconstitution & Storage

Store at +4°C

Precautions

KRT14 / CK14 / Cytokeratin 14 Antibody (C-Terminus, clone D19-N) is for research use only and not for use in diagnostic or therapeutic procedures.

KRT14 / CK14 / Cytokeratin 14 Antibody (C-Terminus, clone D19-N) - Protein Information

Name KRT14

Function

The nonhelical tail domain is involved in promoting KRT5- KRT14 filaments to self-organize into large bundles and enhances the mechanical properties involved in resilience of keratin intermediate filaments in vitro.

Cellular Location

Cytoplasm. Nucleus. Note=Expressed in both as a filamentous pattern.

Tissue Location

Expressed in the corneal epithelium (at protein level) (PubMed:26758872). Detected in the basal layer, lowered within the more apically located layers specifically in the stratum spinosum, stratum granulosum but is not detected in stratum corneum. Strongly expressed in the outer root sheath of anagen follicles but not in the germinative matrix, inner root sheath or hair (PubMed:9457912).

Found in keratinocytes surrounding the club hair during telogen (PubMed:9457912).


Volume
125 μ l

KRT14 / CK14 / Cytokeratin 14 Antibody (C-Terminus, clone D19-N) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

KRT14 / CK14 / Cytokeratin 14 Antibody (C-Terminus, clone D19-N) - Images



Anti-KRT14 / Cytokeratin 14 antibody IHC of human skin.



Anti-KRT14 / Cytokeratin 14 antibody IHC of human tonsil.

KRT14 / CK14 / Cytokeratin 14 Antibody (C-Terminus, clone D19-N) - Background

The nonhelical tail domain is involved in promoting KRT5-KRT14 filaments to self-organize into

large bundles and enhances the mechanical properties involved in resilience of keratin intermediate filaments in vitro.

KRT14 / CK14 / Cytokeratin 14 Antibody (C-Terminus, clone D19-N) - References

Marchuk D.,et al.Cell 39:491-498(1984).

Marchuk D.,et al.Proc. Natl. Acad. Sci. U.S.A. 82:1609-1613(1985).

Kalnine N.,et al.Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases.

Zody M.C.,et al.Nature 440:1045-1049(2006).

Hanukoglu I.,et al.Cell 31:243-252(1982).