

FLNA / Filamin A Antibody (clone 4E10-1B2)
Mouse Monoclonal Antibody
Catalog # ALS14377

Specification

FLNA / Filamin A Antibody (clone 4E10-1B2) - Product Information

Application	WB, IHC
Primary Accession	P21333
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	281kDa KDa

FLNA / Filamin A Antibody (clone 4E10-1B2) - Additional Information

Gene ID 2316

Other Names

Filamin-A, FLN-A, Actin-binding protein 280, ABP-280, Alpha-filamin, Endothelial actin-binding protein, Filamin-1, Non-muscle filamin, FLNA, FLN, FLN1

Target/Specificity

Human FLNA

Reconstitution & Storage

Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.

Precautions

FLNA / Filamin A Antibody (clone 4E10-1B2) is for research use only and not for use in diagnostic or therapeutic procedures.

FLNA / Filamin A Antibody (clone 4E10-1B2) - Protein Information

Name FLNA

Synonyms FLN, FLN1

Function

Promotes orthogonal branching of actin filaments and links actin filaments to membrane glycoproteins. Anchors various transmembrane proteins to the actin cytoskeleton and serves as a scaffold for a wide range of cytoplasmic signaling proteins. Interaction with FLNB may allow neuroblast migration from the ventricular zone into the cortical plate. Tethers cell surface-localized furin, modulates its rate of internalization and directs its intracellular trafficking (By similarity). Involved in ciliogenesis. Plays a role in cell-cell contacts and adherens junctions during the development of blood vessels, heart and brain organs. Plays a role in platelets morphology through interaction with SYK that regulates ITAM- and ITAM-like-containing receptor signaling, resulting in by platelet cytoskeleton organization maintenance (By similarity). During the axon guidance process, required for growth cone collapse induced by SEMA3A-mediated stimulation of

neurons (PubMed: 25358863).

Cellular Location

Cytoplasm, cell cortex. Cytoplasm, cytoskeleton {ECO:0000250|UniProtKB:Q8BTM8}. Perikaryon {ECO:0000250|UniProtKB:Q8BTM8}. Cell projection, growth cone {ECO:0000250|UniProtKB:Q8BTM8}. Note=Colocalizes with CPMR1 in the central region of DRG neuron growth cone (By similarity). Following SEMA3A stimulation of DRG neurons, colocalizes with F-actin (By similarity). {ECO:0000250|UniProtKB:Q8BTM8}

Tissue Location


Ubiquitous.

FLNA / Filamin A Antibody (clone 4E10-1B2) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FLNA / Filamin A Antibody (clone 4E10-1B2) - Images



Western blot of FLNA expression in HL-60 cell lysate.



Anti-FLNA / FMD antibody IHC of human small intestine.

FLNA / Filamin A Antibody (clone 4E10-1B2) - Background

Promotes orthogonal branching of actin filaments and links actin filaments to membrane glycoproteins. Anchors various transmembrane proteins to the actin cytoskeleton and serves as a scaffold for a wide range of cytoplasmic signaling proteins. Interaction with FLNA may allow neuroblast migration from the ventricular zone into the cortical plate. Tethers cell surface- localized furin, modulates its rate of internalization and directs its intracellular trafficking (By similarity). Involved in ciliogenesis.

FLNA / Filamin A Antibody (clone 4E10-1B2) - References

Gorlin J.B.,et al.J. Cell Biol. 111:1089-1105(1990).
Patrosso M.C.,et al.Genomics 21:71-76(1994).
Chen E.Y.,et al.Hum. Mol. Genet. 5:659-668(1996).
Li J.,et al.Mol. Cell. Proteomics 9:2517-2528(2010).
Ota T.,et al.Nat. Genet. 36:40-45(2004).