

**Anti-HSPD1 / HSP60 Antibody (aa511-560)**  
**Rabbit Anti Human Polyclonal Antibody**  
**Catalog # ALS18028****Specification**

---

**Anti-HSPD1 / HSP60 Antibody (aa511-560) - Product Information**

Application	WB, IHC-P, IF, E
Primary Accession	<a href="#">P10809</a>
Predicted	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Calculated MW	61055

**Anti-HSPD1 / HSP60 Antibody (aa511-560) - Additional Information****Gene ID** 3329**Alias Symbol** HSPD1**Other Names**

HSPD1, 60 kDa chaperonin, CPN60, Heat shock protein 65, Heat shock protein 60, HSP-60, HSP60, HuCHA60, HLD4, HSP65, p60 lymphocyte protein, SPG13, Chaperonin 60, GROEL

**Target/Specificity**

HSP60 Antibody detects endogenous levels of total HSP60 protein.

**Reconstitution & Storage**

Immunoaffinity purified

**Precautions**

Anti-HSPD1 / HSP60 Antibody (aa511-560) is for research use only and not for use in diagnostic or therapeutic procedures.

**Anti-HSPD1 / HSP60 Antibody (aa511-560) - Protein Information****Name** HSPD1**Synonyms** HSP60**Function**

Chaperonin implicated in mitochondrial protein import and macromolecular assembly. Together with Hsp10, facilitates the correct folding of imported proteins. May also prevent misfolding and promote the refolding and proper assembly of unfolded polypeptides generated under stress conditions in the mitochondrial matrix (PubMed:<a href="http://www.uniprot.org/citations/11422376" target="\_blank">11422376</a>, PubMed:<a href="http://www.uniprot.org/citations/1346131" target="\_blank">1346131</a>). The functional units of these chaperonins consist of heptameric rings of the large subunit Hsp60, which function as a back- to-back double ring. In a cyclic reaction, Hsp60 ring complexes bind one unfolded

substrate protein per ring, followed by the binding of ATP and association with 2 heptameric rings of the co-chaperonin Hsp10. This leads to sequestration of the substrate protein in the inner cavity of Hsp60 where, for a certain period of time, it can fold undisturbed by other cell components. Synchronous hydrolysis of ATP in all Hsp60 subunits results in the dissociation of the chaperonin rings and the release of ADP and the folded substrate protein (Probable).

**Cellular Location**

Mitochondrion matrix.

**Anti-HSPD1 / HSP60 Antibody (aa511-560) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Anti-HSPD1 / HSP60 Antibody (aa511-560) - Images**