

**FOXP2 Antibody (Ascites)**  
**Mouse Monoclonal Antibody (Mab)**  
**Catalog # AM2116a**

**Specification**

---

**FOXP2 Antibody (Ascites) - Product Information**

Application	WB,E
Primary Accession	<a href="#">O15409</a>
Other Accession	<a href="#">POCF24</a> , <a href="#">P58463</a> , <a href="#">NP_055306.1</a>
Reactivity	Human
Predicted	Mouse, Rat
Host	Mouse
Clonality	Monoclonal
Isotype	IgM
Calculated MW	79919
Antigen Region	657-684

**FOXP2 Antibody (Ascites) - Additional Information**

**Gene ID** 93986

**Other Names**

Forkhead box protein P2, CAG repeat protein 44, Trinucleotide repeat-containing gene 10 protein, FOXP2, CAGH44, TNRC10

**Target/Specificity**

This FOXP2 antibody is generated from mice immunized with a KLH conjugated synthetic peptide between 657-684 amino acids from human FOXP2.

**Dilution**

WB~~1:100~1600

**Format**

Mouse monoclonal antibody supplied in crude ascites with 0.09% (W/V) sodium azide.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

FOXP2 Antibody (Ascites) is for research use only and not for use in diagnostic or therapeutic procedures.

**FOXP2 Antibody (Ascites) - Protein Information**

**Name** FOXP2

**Synonyms** CAGH44, TNRC10

**Function** Transcriptional repressor that may play a role in the specification and differentiation of lung epithelium. May also play a role in developing neural, gastrointestinal and cardiovascular tissues. Can act with CTBP1 to synergistically repress transcription but CTBP1 is not essential. Plays a role in synapse formation by regulating SRPX2 levels. Involved in neural mechanisms mediating the development of speech and language.

**Cellular Location**

Nucleus.

**Tissue Location**


Isoform 1 and isoform 6 are expressed in adult and fetal brain, caudate nucleus and lung.

**FOXP2 Antibody (Ascites) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**FOXP2 Antibody (Ascites) - Images**



FOXP2 Antibody(Ascites)(Cat. #AM2116a) western blot analysis in 293 cell line lysates (35µg/lane).This demonstrates the FOXP2 antibody detected the FOXP2 protein (arrow).

**FOXP2 Antibody (Ascites) - Background**

This gene encodes a member of the forkhead/winged-helix (FOX) family of transcription factors. It is expressed in fetal and adult brain as well as in several other organs such as the lung and gut. The protein product contains a FOX DNA-binding domain and a large polyglutamine tract and is an evolutionarily conserved transcription factor, which may bind directly to approximately 300 to 400 gene promoters in the human genome to regulate the expression of a variety of genes. This gene is required for proper

development of speech and language regions of the brain during embryogenesis, and may be involved in a variety of biological pathways and cascades that may ultimately influence language development. Mutations in this gene cause speech-language disorder 1 (SPCH1), also known as autosomal dominant speech and language disorder with orofacial dyspraxia. Multiple alternative transcripts encoding different isoforms have been identified in this gene.

#### **FOXP2 Antibody (Ascites) - References**

Bailey, S.D., et al. Diabetes Care (2010) In press :  
Tolosa, A., et al. BMC Med. Genet. 11, 114 (2010) :  
Jugessur, A., et al. PLoS ONE 5 (7), E11493 (2010) :  
Stroud, J.C., et al. Structure 14(1):159-166(2006)  
Gauthier, J., et al. Am. J. Med. Genet. A 118A (2), 172-175 (2003) :