

ACHE Antibody (C-term)
Mouse Monoclonal Antibody (Mab)
Catalog # AM2184b

Specification

ACHE Antibody (C-term) - Product Information

| | |
|-------------------|---|
| Application | WB,E |
| Primary Accession | P22303 |
| Other Accession | Q29499 , P23795 |
| Reactivity | Human, Mouse, Rat, Green Monkey |
| Predicted | Bovine, Rabbit |
| Host | Mouse |
| Clonality | Monoclonal |
| Isotype | IgG1 |
| Antigen Region | 587-611 |

ACHE Antibody (C-term) - Additional Information

Gene ID 43

Other Names

Acetylcholinesterase, AChE, ACHE

Target/Specificity

This ACHE antibody is generated from mouse immunized with a KLH conjugated synthetic peptide between 587-611 amino acids from the C-terminal region of human ACHE.

Dilution

WB~~1:2000

Format

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ACHE Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ACHE Antibody (C-term) - Protein Information

Name ACHE ([HGNC:108](#))

Function Hydrolyzes rapidly the acetylcholine neurotransmitter released into the synaptic cleft allowing to terminate the signal transduction at the neuromuscular junction. Role in neuronal

apoptosis.

Cellular Location

Synapse. Secreted. Cell membrane; Peripheral membrane protein [Isoform H]: Cell membrane; Lipid- anchor, GPI-anchor; Extracellular side

Tissue Location


Isoform H is highly expressed in erythrocytes.

ACHE Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ACHE Antibody (C-term) - Images



ACHE Antibody (C-term) (Cat. #AM2184b) western blot analysis in Raji, Jurkat, COS7, mouse NIH/3T3 cell line and mouse cerebellum, rat cerebellum tissue lysates (35µg/lane). This demonstrates the ACHE antibody detected the ACHE protein (arrow).

ACHE Antibody (C-term) - Background

Terminates signal transduction at the neuromuscular junction by rapid hydrolysis of the acetylcholine released into the synaptic cleft. Role in neuronal apoptosis.

ACHE Antibody (C-term) - References

Soreq H., et al. Proc. Natl. Acad. Sci. U.S.A. 87:9688-9692(1990).
Karpel R., et al. Exp. Cell Res. 210:268-277(1994).

Yang L., et al. Submitted (JAN-2001) to the EMBL/GenBank/DDBJ databases.

Ota T., et al. Nat. Genet. 36:40-45(2004).

Totoki Y., et al. Submitted (APR-2005) to the EMBL/GenBank/DDBJ databases.

ACHE Antibody (C-term) - Citations

- [Extradural Contralateral C7 Nerve Root Transfer in a Cervical Posterior Approach for Treating Spastic Limb Paralysis: A Cadaver Feasibility Study](#)
- [The feasibility study of extradural nerve anastomosis technique for canine bladder reinnervation after spinal cord injury.](#)