

**SNCA Antibody**  
**Purified Mouse Monoclonal Antibody (Mab)**  
**Catalog # AM8649b**

**Specification**

---

**SNCA Antibody - Product Information**

Application	WB,E
Primary Accession	<a href="#">P37840</a>
Other Accession	<a href="#">P61140</a> , <a href="#">P61144</a> , <a href="#">P61145</a>
Reactivity	Human, Mouse
Host	Mouse
Clonality	monoclonal
Isotype	IgG1, $\kappa$
Calculated MW	14460

**SNCA Antibody - Additional Information**

**Gene ID** 6622

**Other Names**

Alpha-synuclein, Non-A beta component of AD amyloid, Non-A4 component of amyloid precursor, NACP, SNCA, NACP, PARK1

**Target/Specificity**

This antibody is generated from a mouse immunized a recombinant protein from human.

**Dilution**

WB~~1:2000

**Format**

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, followed by dialysis against PBS.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

SNCA Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

**SNCA Antibody - Protein Information**

**Name** SNCA

**Synonyms** NACP, PARK1

**Function** Neuronal protein that plays several roles in synaptic activity such as regulation of synaptic vesicle trafficking and subsequent neurotransmitter release (PubMed:[20798282](#),

PubMed:[26442590](#), PubMed:[28288128](#), PubMed:[30404828](#)). Participates as a monomer in synaptic vesicle exocytosis by enhancing vesicle priming, fusion and dilation of exocytotic fusion pores (PubMed:[28288128](#), PubMed:[30404828](#)). Mechanistically, acts by increasing local Ca<sup>2+</sup> release from microdomains which is essential for the enhancement of ATP-induced exocytosis (PubMed:[30404828](#)). Acts also as a molecular chaperone in its multimeric membrane-bound state, assisting in the folding of synaptic fusion components called SNAREs (Soluble NSF Attachment Protein REceptors) at presynaptic plasma membrane in conjunction with cysteine string protein-alpha/DNAJC5 (PubMed:[20798282](#)). This chaperone activity is important to sustain normal SNARE-complex assembly during aging (PubMed:[20798282](#)). Also plays a role in the regulation of the dopamine neurotransmission by associating with the dopamine transporter (DAT1) and thereby modulating its activity (PubMed:[26442590](#)).

### Cellular Location

Cytoplasm. Membrane. Nucleus. Synapse Secreted. Cell projection, axon {ECO:0000250|UniProtKB:O55042}. Note=Membrane-bound in dopaminergic neurons (PubMed:15282274). Expressed and colocalized with SEPTIN4 in dopaminergic axon terminals, especially at the varicosities (By similarity). {ECO:0000250|UniProtKB:O55042, ECO:0000269|PubMed:15282274}

### Tissue Location


Highly expressed in presynaptic terminals in the central nervous system. Expressed principally in brain

### SNCA Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### SNCA Antibody - Images



All lanes : Anti-SNCA at 1:2000 dilution Lane 1: Human brain lysate Lane 2: Mouse brain lysate  
Lysates/proteins at 20 µg per lane. Secondary Goat Anti-mouse IgG, (H+L), Peroxidase conjugated  
at 1/10000 dilution. Predicted band size : 14 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

### **SNCA Antibody - Background**

May be involved in the regulation of dopamine release and transport. Induces fibrillization of microtubule-associated protein tau. Reduces neuronal responsiveness to various apoptotic stimuli, leading to a decreased caspase-3 activation.

### **SNCA Antibody - References**

Ueda K.,et al.Proc. Natl. Acad. Sci. U.S.A. 90:11282-11286(1993).  
Campion D.,et al.Genomics 26:254-257(1995).  
Ueda K.,et al.Biochem. Biophys. Res. Commun. 205:1366-1372(1994).  
Xia Y.,et al.Submitted (JAN-1996) to the EMBL/GenBank/DDBJ databases.  
Touchman J.W.,et al.Genome Res. 11:78-86(2001).