

ABCB1 Antibody
Purified Mouse Monoclonal Antibody
Catalog # AO1892a**Specification****ABCB1 Antibody - Product Information**

Application	E, WB
Primary Accession	P08183
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	141.5kDa KDa

Description

The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance. The protein encoded by this gene is an ATP-dependent drug efflux pump for xenobiotic compounds with broad substrate specificity. It is responsible for decreased drug accumulation in multidrug-resistant cells and often mediates the development of resistance to anticancer drugs. This protein also functions as a transporter in the blood-brain barrier.

Immunogen

Purified recombinant fragment of human ABCB1 (AA: 632-693) expressed in E. Coli.

Formulation

Purified antibody in PBS with 0.05% sodium azide

ABCB1 Antibody - Additional Information

Gene ID 5243

Other Names

Multidrug resistance protein 1, 3.6.3.44, ATP-binding cassette sub-family B member 1, P-glycoprotein 1, CD243, ABCB1, MDR1, PGY1

Dilution

E~~1/10000

WB~~1/500 - 1/2000

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ABCB1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

ABCB1 Antibody - Protein Information

Name ABCB1 ([HGNC:40](#))

Synonyms MDR1, PGY1

Function

Translocates drugs and phospholipids across the membrane (PubMed:[2897240](http://www.uniprot.org/citations/2897240)), PubMed:[35970996](http://www.uniprot.org/citations/35970996), PubMed:[8898203](http://www.uniprot.org/citations/8898203), PubMed:[9038218](http://www.uniprot.org/citations/9038218), PubMed:[35507548](http://www.uniprot.org/citations/35507548)). Catalyzes the flop of phospholipids from the cytoplasmic to the exoplasmic leaflet of the apical membrane. Participates mainly to the flop of phosphatidylcholine, phosphatidylethanolamine, beta-D-glucosylceramides and sphingomyelins (PubMed:[8898203](http://www.uniprot.org/citations/8898203)). Energy-dependent efflux pump responsible for decreased drug accumulation in multidrug-resistant cells (PubMed:[2897240](http://www.uniprot.org/citations/2897240), PubMed:[35970996](http://www.uniprot.org/citations/35970996), PubMed:[9038218](http://www.uniprot.org/citations/9038218)).

Cellular Location

Cell membrane; Multi-pass membrane protein {ECO:0000255|PROSITE-ProRule:PRU00441} Apical cell membrane. Cytoplasm Note=ABCB1 localization is influenced by C1orf115 expression levels (plasma membrane versus cytoplasm). Localized to the apical membrane of enterocytes (PubMed:28408210).

Tissue Location

Expressed in small intestine (PubMed:28408210). Expressed in liver, kidney and brain.

ABCB1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)





Figure 1: Western blot analysis using ABCB1 mAb against human ABCB1 (AA: 632-693) recombinant protein. (Expected MW is 32.4 kDa)




Figure 2: Western blot analysis using ABCB1 mAb against HEK293 (1) and ABCB1 (AA: 632-693)-hlgGfc transfected HEK293 (2) cell lysate.

ABCB1 Antibody - Background

This gene encodes a bifunctional signal transduction molecule. Dopaminergic and glutamatergic

receptor stimulation regulates its phosphorylation and function as a kinase or phosphatase inhibitor. As a target for dopamine, this gene may serve as a therapeutic target for neurologic and psychiatric disorders. Multiple transcript variants encoding different isoforms have been found for this gene. ;

ABCB1 Antibody - References

1. Pharmacol Rep. 2012;64(6):1560-6. 2. J Cancer Res Ther. 2012 Apr-Jun;8(2):226-31.