

**PPP1R3A Antibody (Center)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP10676C**

**Specification**

---

**PPP1R3A Antibody (Center) - Product Information**

Application	WB, FC,E
Primary Accession	<a href="#">O16821</a>
Other Accession	<a href="#">Q00756</a> , <a href="#">NP_002702.2</a>
Reactivity	Human
Predicted	Rabbit
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	125767
Antigen Region	754-782

**PPP1R3A Antibody (Center) - Additional Information**

**Gene ID** 5506

**Other Names**

Protein phosphatase 1 regulatory subunit 3A, Protein phosphatase 1 glycogen-associated regulatory subunit, Protein phosphatase type-1 glycogen targeting subunit, RG1, PPP1R3A, PP1G

**Target/Specificity**

This PPP1R3A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 754-782 amino acids from the Central region of human PPP1R3A.

**Dilution**

WB~~1:1000  
FC~~1:10~50

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

PPP1R3A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

**PPP1R3A Antibody (Center) - Protein Information**

**Name** PPP1R3A

## Synonyms PP1G

**Function** Seems to act as a glycogen-targeting subunit for PP1. PP1 is essential for cell division, and participates in the regulation of glycogen metabolism, muscle contractility and protein synthesis. Plays an important role in glycogen synthesis but is not essential for insulin activation of glycogen synthase (By similarity).

## Cellular Location

Membrane; Single-pass membrane protein

## Tissue Location


Skeletal muscle and heart.

## PPP1R3A Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## PPP1R3A Antibody (Center) - Images



PPP1R3A Antibody (Center) (Cat. #AP10676c) western blot analysis in Jurkat cell line lysates (35ug/lane). This demonstrates the PPP1R3A antibody detected the PPP1R3A protein (arrow).



PPP1R3A Antibody (Center) (Cat. #AP10676c) flow cytometric analysis of Jurkat cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

**PPP1R3A Antibody (Center) - Background**

The glycogen-associated form of protein phosphatase-1 (PP1) derived from skeletal muscle is a heterodimer composed of a 37-kD catalytic subunit and a 124-kD targeting and regulatory subunit. This gene encodes the regulatory subunit which binds to muscle glycogen with high affinity, thereby enhancing dephosphorylation of glycogen-bound substrates for PP1 such as glycogen synthase and glycogen phosphorylase kinase. [provided by RefSeq].

**PPP1R3A Antibody (Center) - References**

Yoshida, T., et al. *Int. J. Mol. Med.* 24(2):233-246(2009)  
 Yoshida, T., et al. *Genomics* 93(3):221-226(2009)  
 Gieger, C., et al. *PLoS Genet.* 4 (11), E1000282 (2008) :  
 Savage, D.B., et al. *PLoS Med.* 5 (1), E27 (2008) :  
 Olsen, J.V., et al. *Cell* 127(3):635-648(2006)