

OR2Z1 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11065a**Specification**

OR2Z1 Antibody (N-term) - Product Information

Application	WB, IHC-P, FC,E
Primary Accession	O8NG97
Other Accession	NP_001004699.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	34444
Antigen Region	68-96

OR2Z1 Antibody (N-term) - Additional Information**Gene ID** 284383**Other Names**

Olfactory receptor 2Z1, Olfactory receptor 2Z2, Olfactory receptor OR19-4, OR2Z1, OR2Z2

Target/Specificity

This OR2Z1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 68-96 amino acids from the N-terminal region of human OR2Z1.

DilutionWB~~1:1000
IHC-P~~1:50~100
FC~~1:10~50**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

OR2Z1 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

OR2Z1 Antibody (N-term) - Protein Information**Name** OR2Z1

Synonyms OR2Z2

Function Odorant receptor.

Cellular Location


Cell membrane; Multi-pass membrane protein.

OR2Z1 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


OR2Z1 Antibody (N-term) - Images



Anti-OR2Z1 Antibody (N-term) at 1:1000 dilution + NCI-H460 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 34 kDa Blocking/Dilution buffer: 5% NFDM/TBST.



OR2Z1 antibody (N-term) (Cat. #AP11065a) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the OR2Z1 antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



OR2Z1 Antibody (N-term) (Cat. #AP11065a) flow cytometric analysis of NCI-H460 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

OR2Z1 Antibody (N-term) - Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

OR2Z1 Antibody (N-term) - References

- Gudbjartsson, D.F., et al. Nat. Genet. 40(5):609-615(2008)
- Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004)
- Fuchs, T., et al. Genomics 80(3):295-302(2002)