

**TP53INP1 Antibody (C-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP11890b**

**Specification**

---

**TP53INP1 Antibody (C-term) - Product Information**

Application	<b>WB, IHC-P,E</b>
Primary Accession	<a href="#">O96A56</a>
Other Accession	<a href="#">NP_001129205.1</a>
Reactivity	<b>Mouse</b>
Host	<b>Rabbit</b>
Clonality	<b>Polyclonal</b>
Isotype	<b>Rabbit IgG</b>
Calculated MW	<b>27366</b>
Antigen Region	<b>181-210</b>

**TP53INP1 Antibody (C-term) - Additional Information**

**Gene ID** 94241

**Other Names**

Tumor protein p53-inducible nuclear protein 1, Stress-induced protein, p53-dependent damage-inducible nuclear protein 1, p53DINP1, TP53INP1, P53DINP1, SIP

**Target/Specificity**

This TP53INP1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 181-210 amino acids from the C-terminal region of human TP53INP1.

**Dilution**

WB~~1:1000  
IHC-P~~1:10~50

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

TP53INP1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**TP53INP1 Antibody (C-term) - Protein Information**

**Name** TP53INP1

**Synonyms** P53DINP1, SIP

**Function** Antiproliferative and proapoptotic protein involved in cell stress response which acts as a dual regulator of transcription and autophagy. Acts as a positive regulator of autophagy. In response to cellular stress or activation of autophagy, relocates to autophagosomes where it interacts with autophagosome-associated proteins GABARAP, GABARAPL1/L2, MAP1LC3A/B/C and regulates autophagy. Acts as an antioxidant and plays a major role in p53/TP53-driven oxidative stress response. Possesses both a p53/TP53-independent intracellular reactive oxygen species (ROS) regulatory function and a p53/TP53-dependent transcription regulatory function. Positively regulates p53/TP53 and p73/TP73 and stimulates their capacity to induce apoptosis and regulate cell cycle. In response to double-strand DNA breaks, promotes p53/TP53 phosphorylation on 'Ser-46' and subsequent apoptosis. Acts as a tumor suppressor by inducing cell death by an autophagy and caspase-dependent mechanism. Can reduce cell migration by regulating the expression of SPARC.

**Cellular Location**

Cytoplasm, cytosol. Nucleus. Nucleus, PML body. Cytoplasmic vesicle, autophagosome.  
Note=Shuttles between the nucleus and the cytoplasm, depending on cellular stress conditions, and re- localizes to autophagosomes on autophagy activation


**Tissue Location**

Ubiquitously expressed.

**TP53INP1 Antibody (C-term) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**TP53INP1 Antibody (C-term) - Images**

TP53INP1 Antibody (C-term) (Cat. #AP11890b) western blot analysis in mouse spleen tissue lysates (35ug/lane). This demonstrates the TP53INP1 antibody detected the TP53INP1 protein

(arrow).



TP53INP1 Antibody (C-term) (Cat. #AP11890b) immunohistochemistry analysis in formalin fixed and paraffin embedded human pancreas tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of TP53INP1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

#### **TP53INP1 Antibody (C-term) - Background**

TP53INP1 is in response to double-strand DNA breaks, promotes p53/TP53 phosphorylation on 'Ser-46' and subsequent apoptosis.

#### **TP53INP1 Antibody (C-term) - References**

- Voight, B.F., et al. Nat. Genet. 42(7):579-589(2010)  
Yeung, M.L., et al. Cancer Res. 68(21):8976-8985(2008)  
Daniele, B. J. Clin. Gastroenterol. 42(4):336-337(2008)  
Sawaya, M., et al. J. Clin. Gastroenterol. 42(4):351-355(2008)  
Bernardo, M.V., et al. Biochem. Biophys. Res. Commun. 359(2):317-322(2007)

#### **TP53INP1 Antibody (C-term) - Citations**

- [Downregulation of tumor protein 53-inducible nuclear protein 1 expression in hepatocellular carcinoma correlates with poor prognosis.](#)