

**MSI1 Antibody (N-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP11965a**

**Specification**

---

**MSI1 Antibody (N-term) - Product Information**

Application	<b>WB, IHC-P, FC,E</b>
Primary Accession	<a href="#">O43347</a>
Other Accession	<a href="#">O8K3P4</a> , <a href="#">O61474</a> , <a href="#">NP_002433</a>
Reactivity	<b>Human</b>
Predicted	<b>Mouse, Rat</b>
Host	<b>Rabbit</b>
Clonality	<b>Polyclonal</b>
Isotype	<b>Rabbit IgG</b>
Antigen Region	<b>67-93</b>

**MSI1 Antibody (N-term) - Additional Information**

**Gene ID** 4440

**Other Names**

RNA-binding protein Musashi homolog 1, Musashi-1, MSI1

**Target/Specificity**

This MSI1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 67-93 amino acids from the N-terminal region of human MSI1.

**Dilution**

WB~~1:1000  
IHC-P~~1:50~100  
FC~~1:10~50

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

MSI1 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**MSI1 Antibody (N-term) - Protein Information**

**Name** MSI1

**Function** RNA binding protein that regulates the expression of target mRNAs at the translation level. Regulates expression of the NOTCH1 antagonist NUMB. Binds RNA containing the sequence 5'-GUUAGUUAGUUAGUU- 3' and other sequences containing the pattern 5'-[GA]U(1-3)AGU-3'. May play a role in the proliferation and maintenance of stem cells in the central nervous system (By similarity).

**Cellular Location**

Cytoplasm {ECO:0000250|UniProtKB:Q61474}. Nucleus {ECO:0000250|UniProtKB:Q61474}

**Tissue Location**


Detected in fetal kidney, brain, liver and lung, and in adult brain and pancreas. Detected in hepatoma cell lines

**MSI1 Antibody (N-term) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


**MSI1 Antibody (N-term) - Images**



Western blot analysis of lysate from SH-SY5Y cell line, using MSI1 Antibody (N-term)(Cat. #AP11965a). AP11965a was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug per lane.



MSI1 Antibody (N-term) (Cat. #AP11965a) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of MSI1 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



MSI1 Antibody (N-term) (Cat. #AP11965a) flow cytometric analysis of CEM cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

**MSI1 Antibody (N-term) - Background**

This gene encodes a protein containing two conserved tandem RNA recognition motifs. Similar proteins in other species function as RNA-binding proteins and play central roles in posttranscriptional gene regulation. Expression of this gene has been correlated with the grade of the malignancy and proliferative activity in gliomas and melanomas. A pseudogene for this gene is located on chromosome 11q13.

**MSI1 Antibody (N-term) - References**

Fan, L.F., et al. *Int J Colorectal Dis* 25(1):17-23(2010)  
de Sousa Abreu, R., et al. *J. Biol. Chem.* 284(18):12125-12135(2009)  
Murayama, M., et al. *J. Gastroenterol.* 44(3):173-182(2009)  
Gotte, M., et al. *J. Pathol.* 215(3):317-329(2008)  
Sanchez-Diaz, P.C., et al. *BMC Cancer* 8, 280 (2008) :