

## **SOX15** Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP12473c

# **Specification**

# **SOX15 Antibody (Center) - Product Information**

WB, IHC-P,E Application **Primary Accession** 060248 Other Accession NP 008873.1 Human, Mouse Reactivity Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 25251 Antigen Region 96-125

# SOX15 Antibody (Center) - Additional Information

#### **Gene ID 6665**

### **Other Names**

Protein SOX-15, Protein SOX-12, Protein SOX-20, SOX15, SOX12, SOX20, SOX26, SOX27

### Target/Specificity

This SOX15 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 96-125 amino acids from the Central region of human SOX15.

# **Dilution**

WB~~1:1000 IHC-P~~1:10~50

### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

# **Precautions**

SOX15 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

# **SOX15 Antibody (Center) - Protein Information**

## Name SOX15

Synonyms SOX12, SOX20, SOX26, SOX27



**Function** Transcription factor that binds to DNA at the 5'-AACAATG-3' consensus sequence (By similarity). Acts as a transcriptional activator and repressor (By similarity). Binds synergistically with POU5F1 (OCT3/4) to gene promoters (By similarity). Binds to the FOXK1 promoter and recruits FHL3, resulting in transcriptional activation of FOXK1 which leads to myoblast proliferation (By similarity). Acts as an inhibitor of myoblast differentiation via transcriptional repression which leads to down-regulation of the muscle-specific genes MYOD and MYOG (By similarity). Involved in trophoblast giant cell differentiation via enhancement of HAND1 transcriptional activity (By similarity). Regulates transcription of HRC via binding to it proximal enhancer region (By similarity). Involved in skeletal muscle regeneration (By similarity). Also plays a role in the development of myogenic precursor cells (By similarity).

### **Cellular Location**

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00267}.

#### **Tissue Location**


Widely expressed in fetal and adult tissues examined, highest level found in fetal spinal cord and adult brain and testis.

# **SOX15 Antibody (Center) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# SOX15 Antibody (Center) - Images




SOX15 Antibody (Center) (Cat. #AP12473c) western blot analysis in human placenta and mouse brain tissue lysates (35ug/lane). This demonstrates the SOX15 antibody detected the SOX15 protein (arrow).





Anti-SOX15 Antibody (Center) at 1:1000 dilution + human brain lysate Lysates/proteins at 20  $\mu$ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 25 kDa Blocking/Dilution buffer: 5% NFDM/TBST.



SOX15 Antibody (Center) (Cat. #AP12473c)immunohistochemistry analysis in formalin fixed and paraffin embedded human testis tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of SOX15 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

# SOX15 Antibody (Center) - Background

This gene encodes a member of the SOX (SRY-related HMG-box) family of transcription factors involved in the regulation of embryonic development and in the determination of the cell fate. The encoded protein may act as a transcriptional regulator after forming a protein complex with other proteins. [provided by RefSeq].

# **SOX15 Antibody (Center) - References**

Sakai, N., et al. J. Endocrinol. 198(3):489-497(2008) Yan, H.T., et al. Mol. Cells 24(3):323-328(2007) Schepers, G.E., et al. Dev. Cell 3(2):167-170(2002) Wilson, M., et al. Curr. Opin. Genet. Dev. 12(4):441-446(2002) Miyashita, A., et al. Gene 237(1):53-60(1999)