

**FSHB/FSH Antibody (Center)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP13055c**

**Specification**

---

**FSHB/FSH Antibody (Center) - Product Information**

Application	WB, FC,E
Primary Accession	<a href="#">P01225</a>
Other Accession	<a href="#">NP_001018090.1</a> , <a href="#">NP_000501.1</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	14700
Antigen Region	36-64

**FSHB/FSH Antibody (Center) - Additional Information**

**Gene ID** 2488

**Other Names**

Follitropin subunit beta, Follicle-stimulating hormone beta subunit, FSH-B, FSH-beta, Follitropin beta chain, FSHB

**Target/Specificity**

This FSHB/FSH antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 36-64 amino acids from the Central region of human FSHB/FSH.

**Dilution**

WB~~1:1000  
FC~~1:10~50

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

FSHB/FSH Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

**FSHB/FSH Antibody (Center) - Protein Information**

**Name** FSHB

**Function** Together with the alpha chain CGA constitutes follitropin, the follicle-stimulating hormone, and provides its biological specificity to the hormone heterodimer. Binds FSHR, a G protein-coupled receptor, on target cells to activate downstream signaling pathways (PubMed:[24692546](#), PubMed:[2494176](#)). Follitropin is involved in follicle development and spermatogenesis in reproductive organs (PubMed:[407105](#), PubMed:[8220432](#)).

**Cellular Location**


Secreted. Note=Efficient secretion requires dimerization with CGA

**FSHB/FSH Antibody (Center) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**FSHB/FSH Antibody (Center) - Images**



FSHB/FSH Antibody (Center) (Cat. #AP13055c) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the FSHB/FSH antibody detected the FSHB/FSH protein (arrow).



FSHB/FSH Antibody (Center) (Cat. #AP13055c) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated donkey-anti-rabbit secondary antibodies were used for the analysis.

**FSHB/FSH Antibody (Center) - Background**

The pituitary glycoprotein hormone family includes follicle-stimulating hormone, luteinizing hormone, chorionic gonadotropin, and thyroid-stimulating hormone. All of these glycoproteins consist of an identical alpha subunit and a hormone-specific beta subunit. This gene encodes the beta subunit of follicle-stimulating hormone. In conjunction with luteinizing hormone, follicle-stimulating hormone induces egg and sperm production. Alternative splicing results in two transcript variants encoding the same protein.

**FSHB/FSH Antibody (Center) - References**

Canzian, F., et al. Hum. Mol. Genet. 19(19):3873-3884(2010)  
 Corpuz, P.S., et al. Mol. Endocrinol. 24(5):1037-1051(2010)  
 Grigorova, M., et al. J. Clin. Endocrinol. Metab. 95(1):100-108(2010)  
 Ahn, J., et al. Hum. Mol. Genet. 18(19):3749-3757(2009)  
 Chakrabarti, B., et al. Autism Res 2(3):157-177(2009)