

NPTXR Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13143c

Specification

NPTXR Antibody (Center) - Product Information

Application	WB, IHC-P,E
Primary Accession	O95502
Other Accession	NP_055108.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	52846
Antigen Region	180-209

NPTXR Antibody (Center) - Additional Information

Gene ID 23467

Other Names

Neuronal pentraxin receptor, NPTXR

Target/Specificity

This NPTXR antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 180-209 amino acids from the Central region of human NPTXR.

Dilution

WB~~1:1000
IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

NPTXR Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

NPTXR Antibody (Center) - Protein Information

Name NPTXR

Function May be involved in mediating uptake of synaptic material during synapse remodeling or

in mediating the synaptic clustering of AMPA glutamate receptors at a subset of excitatory synapses.

Cellular Location


Membrane; Single-pass type II membrane protein

NPTXR Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NPTXR Antibody (Center) - Images



NPTXR Antibody (Center) (Cat. #AP13143c) western blot analysis in HL-60 cell line lysates (35ug/lane). This demonstrates the NPTXR antibody detected the NPTXR protein (arrow).



NPTXR Antibody (Center) (Cat. #AP13143c) immunohistochemistry analysis in formalin fixed and paraffin embedded human cerebellum tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of NPTXR Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

NPTXR Antibody (Center) - Background

This gene encodes a protein similar to the rat neuronal pentraxin receptor. The rat pentraxin receptor is an integral membrane protein that is thought to mediate neuronal uptake of the snake venom toxin, taipoxin, and its transport into the synapses. Studies in rat indicate that translation of this mRNA initiates at a non-AUG (CUG) codon. This may also be true for mouse and human, based on strong sequence conservation amongst these species.

NPTXR Antibody (Center) - References

Rose, J. Phd, et al. Mol. Med. (2010) In press :
Yin, G.N., et al. Brain Res. 1265, 158-170 (2009) :
Andersson, K.B., et al. Acta Physiol (Oxf) 186(1):17-27(2006)
Poulsen, T.T., et al. Lung Cancer 50(3):329-337(2005)
Kirkpatrick, L.L., et al. J. Biol. Chem. 275(23):17786-17792(2000)