

PCNX4 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13598c

Specification

PCNX4 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	Q63HM2
Other Accession	NP_071940.4
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	789-817

PCNX4 Antibody (Center) - Additional Information

Gene ID 64430

Other Names

Pecanex-like protein 4, Hepatitis C virus F protein-binding protein 2, HCV F protein-binding protein 2, PCNXL4, C14orf135, FBP2

Target/Specificity

This C14orf135 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 789-817 amino acids from the Central region of human C14orf135.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

PCNX4 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

PCNX4 Antibody (Center) - Protein Information

Name PCNX4 ([HGNC:20349](#))

Synonyms C14orf135, FBP2, PCNXL4

Cellular Location


Membrane; Multi-pass membrane protein

PCNX4 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PCNX4 Antibody (Center) - Images



C14orf135 Antibody (Center) (Cat. #AP13598c) western blot analysis in 293 cell line lysates (35ug/lane). This demonstrates the C14orf135 antibody detected the C14orf135 protein (arrow).

PCNX4 Antibody (Center) - Background

The function of this protein remains unknown.

PCNX4 Antibody (Center) - References

Huang, Y.P., et al. World J. Gastroenterol. 11(36):5659-5665(2005)