

## IL1R1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP13994b

### Specification

## IL1R1 Antibody (C-term) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW Antigen Region WB,E <u>P14778</u> <u>NP\_000868.1</u> Human, Mouse Rabbit Polyclonal Rabbit IgG 65402 422-450

## IL1R1 Antibody (C-term) - Additional Information

Gene ID 3554

**Other Names** 

Interleukin-1 receptor type 1, IL-1R-1, IL-1RT-1, IL-1RT1, CD121 antigen-like family member A, Interleukin-1 receptor alpha, IL-1R-alpha, Interleukin-1 receptor type I, p80, CD121a, Interleukin-1 receptor type 1, membrane form, mIL-1R1, mIL-1RI, Interleukin-1 receptor type 1, soluble form, sIL-1R1, sIL-1RI, IL1R1, IL1RA, IL1RA, IL1RT1

#### Target/Specificity

This IL1R1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 422-450 amino acids from the C-terminal region of human IL1R1.

Dilution WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

IL1R1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

## IL1R1 Antibody (C-term) - Protein Information

Name IL1R1



Synonyms IL1R, IL1RA, IL1RT1

**Function** Receptor for IL1A, IL1B and IL1RN (PubMed:<u>2950091</u>, PubMed:<u>37315560</u>). After binding to interleukin-1 associates with the coreceptor IL1RAP to form the high affinity interleukin-1 receptor complex which mediates interleukin-1-dependent activation of NF-kappa- B, MAPK and other pathways. Signaling involves the recruitment of adapter molecules such as TOLLIP, MYD88, and IRAK1 or IRAK2 via the respective TIR domains of the receptor/coreceptor subunits. Binds ligands with comparable affinity and binding of antagonist IL1RN prevents association with IL1RAP to form a signaling complex. Involved in IL1B-mediated costimulation of IFNG production from T-helper 1 (Th1) cells (PubMed:<u>10653850</u>).

**Cellular Location** 

Membrane; Single- pass type I membrane protein. Cell membrane. Secreted

**Tissue Location** Expressed in T-helper cell subsets. Preferentially expressed in T-helper 1 (Th1) cells.

# IL1R1 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- <u>Dot Blot</u>
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

# IL1R1 Antibody (C-term) - Images

HepG2	2
72-4	
55	
36	
28	
17	

IL1R1 Antibody (C-term) (Cat. #AP13994b) western blot analysis in HepG2 cell line lysates (35ug/lane).This demonstrates the IL1R1 antibody detected the IL1R1 protein (arrow).





IL1R1 Antibody (C-term) (Cat. #AP13994b) western blot analysis in mouse liver tissue lysates (35ug/lane).This demonstrates the IL1R1 antibody detected the IL1R1 protein (arrow).

# IL1R1 Antibody (C-term) - Background

The protein encoded by this gene is a cytokine receptor that belongs to the interleukin 1 receptor family. This protein is a receptor for interleukin alpha (IL1A), interleukin beta (IL1B), and interleukin 1 receptor, type I(IL1R1/IL1RA). It is an important mediator involved in many cytokine induced immune and inflammatory responses. This gene along with interleukin 1 receptor, type II (IL1R2), interleukin 1 receptor-like 2 (IL1RL2), and interleukin 1 receptor-like 1 (IL1RL1) form a cytokine receptor gene cluster in a region mapped to chromosome 2q12.

# IL1R1 Antibody (C-term) - References

Fragoso, J.M., et al. Immunol. Lett. 133(2):106-111(2010) Franchim, C.S., et al. Hypertens Pregnancy (2010) In press : Melen, E., et al. J. Allergy Clin. Immunol. 126(3):631-637(2010) de Wit, E., et al. Mamm. Genome (2010) In press : Ryckman, K.K., et al. PLoS ONE 5 (8), E12273 (2010) :