10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

BECN1 Antibody (N-term T72)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14089a

Specification

BECN1 Antibody (N-term T72) - Product Information

Application	**WB,E**
Primary Accession	Q14457
Other Accession	NP_003757.1
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**51896**
Antigen Region	**52-78**

BECN1 Antibody (N-term T72) - Additional Information

Gene ID 8678

Other Names
Beclin-1, Coiled-coil myosin-like BCL2-interacting protein, Protein GT197, BECN1, GT197

Target/Specificity
This BECN1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 52-78 amino acids from the N-terminal region of human BECN1.

Dilution
WB~~1:1000

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
BECN1 Antibody (N-term T72) is for research use only and not for use in diagnostic or therapeutic procedures.

BECN1 Antibody (N-term T72) - Protein Information

Name BECN1

Synonyms GT197

Function Plays a central role in autophagy (PubMed:18570871, PubMed:21358617, PubMed:23184933, PubMed:23974797, PubMed:25484083, PubMed:28445460, PubMed:37776275). Acts as a core subunit of the PI3K complex that mediates formation of phosphatidylinositol 3-phosphate; different complex forms are believed to play a role in multiple membrane trafficking pathways: PI3KC3-C1 is involved in initiation of autophagosomes and PI3KC3-C2 in maturation of autophagosomes and endocytosis. Involved in regulation of degradative endocytic trafficking and required for the abscission step in cytokinesis, probably in the context of PI3KC3-C2 (PubMed:20208530, PubMed:20643123, PubMed:23974797, PubMed:26783301). Essential for the formation of PI3KC3-C2 but not PI3KC3-C1 PI3K complex forms. Involved in endocytosis (PubMed:25275521). May play a role in antiviral host defense.

Cellular Location
Cytoplasm. Golgi apparatus, trans-Golgi network membrane; Peripheral membrane protein. Endosome membrane; Peripheral membrane protein. Endoplasmic reticulum membrane; Peripheral membrane protein. Mitochondrion membrane; Peripheral membrane protein. Endosome {ECO:0000250|UniProtKB:O88597} Cytoplasmic vesicle, autophagosome. Note=Interaction with ATG14 promotes translocation to autophagosomes. Expressed in dendrites and cell bodies of cerebellar Purkinje cells (By similarity) {ECO:0000250|UniProtKB:O88597, ECO:0000269|PubMed:19050071} [Beclin-1-C 37 kDa]: Mitochondrion {ECO:0000250|UniProtKB:O88597}

Tissue Location
Ubiquitous.

BECN1 Antibody (N-term T72) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

BECN1 Antibody (N-term T72) - Images



BECN1 Antibody (pT72) (Cat. #AP14089a) western blot analysis in Jurkat cell line lysates

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

(35ug/lane).This demonstrates the BECN1 antibody detected the BECN1 protein (arrow).



Anti-BECN1 Antibody (N-term T72) at 1:1000 dilution + Hela whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 52 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

BECN1 Antibody (N-term T72) - Background

Beclin-1 participates in the regulation of autophagy and has an important role in development, tumorigenesis, and neurodegeneration (Zhong et al., 2009 [PubMed 19270693]).[supplied by OMIM].

BECN1 Antibody (N-term T72) - References

Koukourakis, M.I., et al. Br. J. Cancer 103(8):1209-1214(2010)
Jaeger, P.A., et al. Arch. Neurol. 67(10):1181-1184(2010)
Metzger, S., et al. Hum. Genet. 128(4):453-459(2010)
Oberstein, A., et al. J. Biol. Chem. 282(17):13123-13132(2007)
Furuya, N., et al. Autophagy 1(1):46-52(2005)