

SNRPA Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14764c

Specification

SNRPA Antibody (Center) - Product Information

| | |
|-------------------|---|
| Application | WB, IHC-P,E |
| Primary Accession | P09012 |
| Other Accession | Q06AA4 , Q2KIR1 , NP_004587.1 |
| Reactivity | Human |
| Predicted | Bovine, Pig |
| Host | Rabbit |
| Clonality | Polyclonal |
| Isotype | Rabbit IgG |
| Calculated MW | 31280 |
| Antigen Region | 83-111 |

SNRPA Antibody (Center) - Additional Information

Gene ID 6626

Other Names

U1 small nuclear ribonucleoprotein A, U1 snRNP A, U1-A, U1A, SNRPA

Target/Specificity

This SNRPA antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 83-111 amino acids from the Central region of human SNRPA.

Dilution

WB~~1:1000
IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SNRPA Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

SNRPA Antibody (Center) - Protein Information

Name SNRPA

Function Component of the spliceosomal U1 snRNP, which is essential for recognition of the pre-mRNA 5' splice-site and the subsequent assembly of the spliceosome. U1 snRNP is the first snRNP to interact with pre-mRNA. This interaction is required for the subsequent binding of U2 snRNP and the U4/U6/U5 tri-snRNP. SNRPA binds stem loop II of U1 snRNA. In a snRNP-free form (SF-A) may be involved in coupled pre-mRNA splicing and polyadenylation process. May bind preferentially to the 5'-UGCAC-3' motif on RNAs.

Cellular Location


Nucleus.

SNRPA Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SNRPA Antibody (Center) - Images



SNRPA Antibody (Center) (Cat. #AP14764c) western blot analysis in CEM cell line lysates (35ug/lane). This demonstrates the SNRPA antibody detected the SNRPA protein (arrow).



SNRPA Antibody (Center) (AP14764c) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of SNRPA Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

SNRPA Antibody (Center) - Background

The protein encoded by this gene associates with stem loop II of the U1 small nuclear ribonucleoprotein, which binds the 5' splice site of precursor mRNAs and is required for splicing. The encoded protein autoregulates itself by polyadenylation inhibition of its own pre-mRNA via dimerization and has been implicated in the coupling of splicing and polyadenylation.

SNRPA Antibody (Center) - References

Guan, F., et al. RNA 13(12):2129-2140(2007)
Hall-Pogar, T., et al. RNA 13(7):1103-1115(2007)
Shajani, Z., et al. J. Mol. Biol. 349(4):699-715(2005)
Andersen, J.S., et al. Nature 433(7021):77-83(2005)
Jessen, T.H., et al. EMBO J. 10(11):3447-3456(1991)