

Phospho-SNAP25(T138) Antibody
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP15001a

Specification

Phospho-SNAP25(T138) Antibody - Product Information

Application	DB,E
Primary Accession	P60880
Other Accession	P60881 , P60879 , P60878 , Q170Q3 , O6PC54 , NP_003072.2
Reactivity	Human
Predicted	Zebrafish, Bovine, Chicken, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	23315

Phospho-SNAP25(T138) Antibody - Additional Information

Gene ID 6616

Other Names

Synaptosomal-associated protein 25, SNAP-25, Super protein, SUP, Synaptosomal-associated 25 kDa protein, SNAP25, SNAP

Target/Specificity

This SNAP25 Antibody is generated from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding T138 of human SNAP25.

Dilution

DB~~1:500

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Phospho-SNAP25(T138) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Phospho-SNAP25(T138) Antibody - Protein Information

Name SNAP25

Synonyms SNAP

Function t-SNARE involved in the molecular regulation of neurotransmitter release. May play an important role in the synaptic function of specific neuronal systems. Associates with proteins involved in vesicle docking and membrane fusion. Regulates plasma membrane recycling through its interaction with CENPF. Modulates the gating characteristics of the delayed rectifier voltage-dependent potassium channel KCNB1 in pancreatic beta cells.

Cellular Location

Cytoplasm, perinuclear region {ECO:0000250|UniProtKB:P60879}. Cell membrane {ECO:0000250|UniProtKB:P60881}; Lipid-anchor {ECO:0000250|UniProtKB:P60879}. Synapse, synaptosome {ECO:0000250|UniProtKB:P60879}. Photoreceptor inner segment {ECO:0000250|UniProtKB:P60879}. Note=Membrane association requires palmitoylation. Expressed throughout cytoplasm, concentrating at the perinuclear region. Colocalizes with KCNB1 at the cell membrane (By similarity). Colocalizes with PLCL1 at the cell membrane (By similarity). {ECO:0000250|UniProtKB:P60879, ECO:0000250|UniProtKB:P60881}

Tissue Location


Neurons of the neocortex, hippocampus, piriform cortex, anterior thalamic nuclei, pontine nuclei, and granule cells of the cerebellum

Phospho-SNAP25(T138) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Phospho-SNAP25(T138) Antibody - Images



Dot blot analysis of Phospho-SNAP25-pT138 Antibody Phospho-specific Pab (Cat. #AP15001a) on nitrocellulose membrane. 50ng of Phospho-peptide or Non Phospho-peptide per dot were

adsorbed. Antibody working concentrations are 0.6ug per ml.

Phospho-SNAP25(T138) Antibody - Background

t-SNARE involved in the molecular regulation of neurotransmitter release. May play an important role in the synaptic function of specific neuronal systems. Associates with proteins involved in vesicle docking and membrane fusion. Regulates plasma membrane recycling through its interaction with CENPF.

Phospho-SNAP25(T138) Antibody - References

Mohrmann, R., et al. Science 330(6003):502-505(2010)
Tsai, Y.C., et al. Proc. Natl. Acad. Sci. U.S.A. 107(38):16554-16559(2010)
Condliffe, S.B., et al. J. Biol. Chem. 285(32):24968-24976(2010)
Weber, J.P., et al. EMBO J. 29(15):2477-2490(2010)
Walter, A.M., et al. J. Cell Biol. 188(3):401-413(2010)

Phospho-SNAP25(T138) Antibody - Citations

- [Inhibition of protein phosphatase-1 and -2A by ellagitannins: structure-inhibitory potency relationships and influences on cellular systems.](#)
- [Myosin phosphatase and RhoA-activated kinase modulate neurotransmitter release by regulating SNAP-25 of SNARE complex.](#)