

VPS45 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP16102b

Specification

VPS45 Antibody (C-term) - Product Information

| | |
|-------------------|--|
| Application | WB,E |
| Primary Accession | O9NRW7 |
| Other Accession | P97390 , NP_009190.2 |
| Reactivity | Human |
| Predicted | Mouse |
| Host | Rabbit |
| Clonality | Polyclonal |
| Isotype | Rabbit IgG |
| Calculated MW | 65077 |
| Antigen Region | 461-489 |

VPS45 Antibody (C-term) - Additional Information

Gene ID 11311

Other Names

Vacuolar protein sorting-associated protein 45, h-VPS45, hVps45, VPS45, VPS45A, VPS45B

Target/Specificity

This VPS45 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 461-489 amino acids from the C-terminal region of human VPS45.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

VPS45 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

VPS45 Antibody (C-term) - Protein Information

Name VPS45

Synonyms VPS45A, VPS45B

Function May play a role in vesicle-mediated protein trafficking from the Golgi stack through the trans-Golgi network.

Cellular Location

Golgi apparatus membrane; Peripheral membrane protein. Endosome membrane; Peripheral membrane protein Note=Associated with Golgi/endosomal vesicles and the trans-Golgi network.

Tissue Location


Ubiquitous. Expression was highest in testis, heart and brain, intermediate in kidney, spleen, prostate, ovary, small intestine and thymus and low in lung, skeletal muscle, placenta, colon, pancreas, peripheral blood leukocytes and liver

VPS45 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

VPS45 Antibody (C-term) - Images



VPS45 Antibody (C-term) (Cat. #AP16102b) western blot analysis in mouse brain tissue lysates (35ug/lane). This demonstrates the VPS45 antibody detected the VPS45 protein (arrow).

VPS45 Antibody (C-term) - Background

Vesicle mediated protein sorting plays an important role in segregation of intracellular molecules into distinct organelles. Genetic studies in yeast have identified more than 40 vacuolar protein sorting (VPS) genes involved in vesicle transport to vacuoles. This gene is a member of the Sec1 domain family, and shows a high degree of sequence similarity to mouse, rat and yeast Vps45. The exact function of this gene is not known, but its high expression in peripheral blood mononuclear cells suggests a role in

trafficking proteins, including inflammatory mediators. [provided by RefSeq].

VPS45 Antibody (C-term) - References

- Rahajeng, J., et al. Exp. Cell Res. 316(5):859-874(2010)
Kim, B.Y., et al. Biochem. Biophys. Res. Commun. 311(3):577-582(2003)
Dulubova, I., et al. EMBO J. 21(14):3620-3631(2002)
de Renzis, S., et al. Nat. Cell Biol. 4(2):124-133(2002)
Nielsen, E., et al. J. Cell Biol. 151(3):601-612(2000)