

**IL28B Antibody (N-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP16853a**

**Specification**

---

**IL28B Antibody (N-term) - Product Information**

Application	WB,E
Primary Accession	<a href="#">O8IZI9</a>
Other Accession	<a href="#">O8IZJ0</a> , <a href="#">NP_742151.2</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	21706
Antigen Region	34-63

**IL28B Antibody (N-term) - Additional Information**

**Gene ID** 282617

**Other Names**

Interferon lambda-3, IFN-lambda-3, Cytokine Zcyto22, Interleukin-28B, IL-28B, Interleukin-28C, IL-28C, IFNL3, IL28B, IL28C, ZCYTO22

**Target/Specificity**

This IL28B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 34-63 amino acids from the N-terminal region of human IL28B.

**Dilution**

WB~~1:1000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

IL28B Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**IL28B Antibody (N-term) - Protein Information**

**Name** IFNL3

**Synonyms** IL28B, IL28C, ZCYTO22

**Function** Cytokine with antiviral, antitumour and immunomodulatory activities. Plays a critical role in the antiviral host defense, predominantly in the epithelial tissues. Acts as a ligand for the heterodimeric class II cytokine receptor composed of IL10RB and IFNLR1, and receptor engagement leads to the activation of the JAK/STAT signaling pathway resulting in the expression of IFN-stimulated genes (ISG), which mediate the antiviral state. Has a restricted receptor distribution and therefore restricted targets: is primarily active in epithelial cells and this cell type-selective action is because of the epithelial cell-specific expression of its receptor IFNLR1. Seems not to be essential for early virus-activated host defense in vaginal infection, but plays an important role in Toll-like receptor (TLR)- induced antiviral defense. Plays a significant role in the antiviral immune defense in the intestinal epithelium. Exerts an immunomodulatory effect by up-regulating MHC class I antigen expression.

#### **Cellular Location**


Secreted.

#### **IL28B Antibody (N-term) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **IL28B Antibody (N-term) - Images**



IL28B Antibody (N-term) (Cat. #AP16853a) western blot analysis in SK-BR-3 cell line lysates (35ug/lane). This demonstrates the IL28B antibody detected the IL28B protein (arrow).



Western blot analysis of IL28B (arrow) using rabbit polyclonal IL28B Antibody (N-term) (Cat. #AP16853a). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the IL28B gene.

#### **IL28B Antibody (N-term) - Background**

This gene encodes a cytokine distantly related to type I interferons and the IL-10 family. This gene, interleukin 28A (IL28A), and interleukin 29 (IL29) are three closely related cytokine genes that form a cytokine gene cluster on a chromosomal region mapped to 19q13. Expression of the cytokines encoded by the three genes can be induced by viral infection. All three cytokines have been shown to interact with a heterodimeric class II cytokine receptor that consists of interleukin 10 receptor, beta (IL10RB) and interleukin 28 receptor, alpha (IL28RA).

#### **IL28B Antibody (N-term) - References**

Lindh, M., et al. Hepatology 52(5):1860-1861(2010)  
Pineda, J.A., et al. Clin. Infect. Dis. 51(7):788-795(2010)  
Grebely, J., et al. Hepatology 52(4):1216-1224(2010)  
Stattermayer, A.F., et al. Clin. Gastroenterol. Hepatol. (2010) In press :  
Iwata, R., et al. J. Viral Hepat. (2010) In press :

#### **IL28B Antibody (N-term) - Citations**

- [Cellular Mechanism for Impaired Hepatitis C Virus Clearance by Interferon Associated with IFNL3 Gene Polymorphisms Relates to Intrahepatic Interferon- \$\lambda\$  Expression.](#)