

**RALA Antibody (C-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP18995b**

**Specification**

---

**RALA Antibody (C-term) - Product Information**

Application	WB,E
Primary Accession	<a href="#">P11233</a>
Other Accession	<a href="#">P63322</a> , <a href="#">P63321</a> , <a href="#">NP_005393.2</a>
Reactivity	Human
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	23567
Antigen Region	158-186

**RALA Antibody (C-term) - Additional Information**

**Gene ID** 5898

**Other Names**

Ras-related protein Ral-A, RALA, RAL

**Target/Specificity**

This RALA antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 158-186 amino acids from the C-terminal region of human RALA.

**Dilution**

WB~~1:1000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

RALA Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**RALA Antibody (C-term) - Protein Information**

**Name** RALA

**Synonyms** RAL

**Function** Multifunctional GTPase involved in a variety of cellular processes including gene expression, cell migration, cell proliferation, oncogenic transformation and membrane trafficking. Accomplishes its multiple functions by interacting with distinct downstream effectors (PubMed:[18756269](#), PubMed:[19306925](#), PubMed:[20005108](#), PubMed:[21822277](#), PubMed:[30500825](#)). Acts as a GTP sensor for GTP-dependent exocytosis of dense core vesicles. The RALA- exocyst complex regulates integrin-dependent membrane raft exocytosis and growth signaling (PubMed:[20005108](#)). Key regulator of LPAR1 signaling and competes with GRK2 for binding to LPAR1 thus affecting the signaling properties of the receptor. Required for anchorage-independent proliferation of transformed cells (PubMed:[19306925](#)). During mitosis, supports the stabilization and elongation of the intracellular bridge between dividing cells. Cooperates with EXOC2 to recruit other components of the exocyst to the early midbody (PubMed:[18756269](#)). During mitosis, also controls mitochondrial fission by recruiting to the mitochondrion RALBP1, which mediates the phosphorylation and activation of DNM1L by the mitotic kinase cyclin B- CDK1 (PubMed:[21822277](#)).

#### Cellular Location


Cell membrane; Lipid-anchor; Cytoplasmic side. Cleavage furrow. Midbody, Midbody ring. Mitochondrion. Note=Predominantly at the cell surface in the absence of LPA. In the presence of LPA, colocalizes with LPAR1 and LPAR2 in endocytic vesicles (PubMed:[19306925](#)). May colocalize with CNTRL/centriolin at the midbody ring (PubMed:[16213214](#)). However, localization at the midbody at late cytokinesis was not confirmed (PubMed:[18756269](#)). Relocalizes to the mitochondrion during mitosis where it regulates mitochondrial fission (PubMed:[21822277](#))

#### RALA Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### RALA Antibody (C-term) - Images



RALA Antibody (C-term) (Cat. #AP18995b) western blot analysis in NCI-H460 cell line lysates (35ug/lane). This demonstrates the RALA antibody detected the RALA protein (arrow).

**RALA Antibody (C-term) - Background**

The product of this gene belongs to the small GTPase superfamily, Ras family of proteins. GTP-binding proteins mediate the transmembrane signaling initiated by the occupancy of certain cell surface receptors. This gene encodes a low molecular mass ras-like GTP-binding protein that shares about 50% similarity with other ras proteins.

**RALA Antibody (C-term) - References**

Nichols, C.D., et al. *Curr. Biol.* 20(14):1316-1320(2010)  
Rose, J.E., et al. *Mol. Med.* 16 (7-8), 247-253 (2010) :  
Godin, C.M., et al. *Mol. Pharmacol.* 77(3):388-395(2010)  
Lim, K.H., et al. *Mol. Cell. Biol.* 30(2):508-523(2010)  
Wang, K., et al. *Int J Immunopathol Pharmacol* 22(3):735-743(2009)