

THBS4 Antibody(C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP19723b

Specification

THBS4 Antibody(C-term) - Product Information

Application	WB,E
Primary Accession	P35443
Other Accession	NP_003239.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	932-961

THBS4 Antibody(C-term) - Additional Information

Gene ID 7060

Other Names

Thrombospondin-4, THBS4, TSP4

Target/Specificity

This THBS4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 932-961 amino acids from the C-terminal region of human THBS4.

Dilution

WB~~1:2000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

THBS4 Antibody(C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

THBS4 Antibody(C-term) - Protein Information

Name THBS4

Synonyms TSP4

Function Adhesive glycoprotein that mediates cell-to-cell and cell-to- matrix interactions and is

involved in various processes including cellular proliferation, migration, adhesion and attachment, inflammatory response to CNS injury, regulation of vascular inflammation and adaptive responses of the heart to pressure overload and in myocardial function and remodeling. Binds to structural extracellular matrix (ECM) proteins and modulates the ECM in response to tissue damage, contributing to cardioprotective and adaptive ECM remodeling. Plays a role in ER stress response, via its interaction with the activating transcription factor 6 alpha (ATF6) which produces adaptive ER stress response factors and protects myocardium from pressure overload. May contribute to spinal presynaptic hypersensitivity and neuropathic pain states after peripheral nerve injury. May play a role in regulating protective astrogenesis from the subventricular zone (SVZ) niche after injury in a NOTCH1-dependent manner (By similarity).

Cellular Location


Endoplasmic reticulum {ECO:0000250|UniProtKB:Q9Z1T2}. Sarcoplasmic reticulum {ECO:0000250|UniProtKB:Q9Z1T2}. Secreted {ECO:0000250|UniProtKB:Q9Z1T2}. Secreted, extracellular space {ECO:0000250|UniProtKB:Q9Z1T2}. Secreted, extracellular space, extracellular matrix {ECO:0000250|UniProtKB:Q9Z1T2}

THBS4 Antibody(C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

THBS4 Antibody(C-term) - Images



THBS4 Antibody (C-term) (Cat. #AP19723b) western blot analysis in NCI-H460 cell line lysates (35ug/lane). This demonstrates the THBS4 antibody detected the THBS4 protein (arrow).



Anti-THBS4 Antibody (C-term) at 1:2000 dilution + U-87 MG whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 106 kDa Blocking/Dilution buffer: 5% NFDN/TBST.

THBS4 Antibody(C-term) - Background

The protein encoded by this gene belongs to the thrombospondin protein family. Thrombospondin family members are adhesive glycoproteins that mediate cell-to-cell and cell-to-matrix interactions. This protein forms a pentamer and can bind to heparin and calcium. Studies of the rat counterpart suggest that this protein may be involved in local signaling in the developing and adult nervous system.

THBS4 Antibody(C-term) - References

Romero, R., et al. Am. J. Obstet. Gynecol. 203 (4), 361 (2010) :
Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010)
Wang, Y., et al. J. Hum. Genet. 55(8):490-494(2010)
Romero, R., et al. Am. J. Obstet. Gynecol. 202 (5), 431 (2010) :
Johnatty, S.E., et al. PLoS Genet. 6 (7), E1001016 (2010) :

THBS4 Antibody(C-term) - Citations

- [FGFR2 Promotes Gastric Cancer Progression by Inhibiting the Expression of Thrombospondin4 via PI3K-Akt-Mtor Pathway.](#)