

**VEGFC (VEGF3) Antibody (Center M263)**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP2042C**

**Specification**

---

**VEGFC (VEGF3) Antibody (Center M263) - Product Information**

Application	<b>WB, IHC-P,E</b>
Primary Accession	<a href="#">P49767</a>
Reactivity	<b>Human</b>
Host	<b>Rabbit</b>
Clonality	<b>Polyclonal</b>
Isotype	<b>Rabbit IgG</b>
Calculated MW	<b>46883</b>
Antigen Region	<b>248-277</b>

**VEGFC (VEGF3) Antibody (Center M263) - Additional Information**

**Gene ID** 7424

**Other Names**

Vascular endothelial growth factor C, VEGF-C, Flt4 ligand, Flt4-L, Vascular endothelial growth factor-related protein, VRP, VEGFC

**Target/Specificity**

This VEGFC (VEGF3) antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 248-277 amino acids from the Central region of human VEGFC (VEGF3).

**Dilution**

WB~~1:1000  
IHC-P~~1:10~50

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

VEGFC (VEGF3) Antibody (Center M263) is for research use only and not for use in diagnostic or therapeutic procedures.

**VEGFC (VEGF3) Antibody (Center M263) - Protein Information**

**Name** VEGFC

**Function** Growth factor active in angiogenesis, and endothelial cell growth, stimulating their

proliferation and migration and also has effects on the permeability of blood vessels. May function in angiogenesis of the venous and lymphatic vascular systems during embryogenesis, and also in the maintenance of differentiated lymphatic endothelium in adults. Binds and activates KDR/VEGFR2 and FLT4/VEGFR3 receptors.

#### Cellular Location

Secreted.

#### Tissue Location


Expressed in the spleen (PubMed:8700872, PubMed:9247316). Expressed in the lymph node, thymus, appendix and bone marrow (PubMed:9247316). Expressed in the heart, placenta, skeletal muscle, ovary and small intestine (PubMed:8617204, PubMed:8700872) Expressed in the prostate, testis and colon (PubMed:8700872)

### VEGFC (VEGF3) Antibody (Center M263) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### VEGFC (VEGF3) Antibody (Center M263) - Images



Western blot analysis of VEGF3 Antibody (Center) polyclonal antibody (Cat.#AP2042c) (arrow). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected with the VEGF3 gene (Lane 2) (Origene Technologies).



Formalin-fixed and paraffin-embedded human lung carcinoma tissue reacted with VEGF3 Antibody (Center M263)(Cat.#AP2042c), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

#### **VEGFC (VEGF3) Antibody (Center M263) - Background**

VEGF3 is a member of the platelet-derived growth factor/vascular endothelial growth factor (PDGF/VEGF) family, is active in angiogenesis and endothelial cell growth, and can also affect the permeability of blood vessels. This secreted protein undergoes a complex proteolytic maturation, generating multiple processed forms which bind and activate VEGFR-3 receptors. Only the fully processed form can bind and activate VEGFR-2 receptors. This protein is structurally and functionally similar to vascular endothelial growth factor D.

#### **VEGFC (VEGF3) Antibody (Center M263) - References**

Byeon, J.S., et al., J. Gastroenterol. Hepatol. 19(6):648-654 (2004).  
Su, J.L., et al., Cancer Res. 64(2):554-564 (2004).  
Yan, C., et al., World J. Gastroenterol. 10(6):783-790 (2004).  
Hsieh, C.Y., et al., J. Biomed. Sci. 11(2):249-259 (2004).  
Liu, X.E., et al., World J. Gastroenterol. 10(3):352-355 (2004).

#### **VEGFC (VEGF3) Antibody (Center M263) - Citations**

- [Podoplanin Expression Correlates with Disease Progression in Mycosis Fungoides.](#)