

**PPIF Antibody (C-term)**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP20712c**

**Specification**

---

**PPIF Antibody (C-term) - Product Information**

Application	<b>WB,E</b>
Primary Accession	<a href="#">P30405</a>
Reactivity	<b>Human</b>
Host	<b>Rabbit</b>
Clonality	<b>Polyclonal</b>
Isotype	<b>Rabbit IgG</b>
Calculated MW	<b>22040</b>

**PPIF Antibody (C-term) - Additional Information**

**Gene ID** 10105

**Other Names**

Peptidyl-prolyl cis-trans isomerase F, mitochondrial, PPIase F, Cyclophilin D, CyP-D, CypD, Cyclophilin F, Mitochondrial cyclophilin, CyP-M, Rotamase F, PPIF, CYP3

**Target/Specificity**

This PPIF antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 183-217 amino acids from the C-terminal region of human PPIF.

**Dilution**

WB~~1:1000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

PPIF Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**PPIF Antibody (C-term) - Protein Information**

**Name** PPIF

**Synonyms** CYP3

**Function** PPIase that catalyzes the cis-trans isomerization of proline imidic peptide bonds in

oligopeptides and may therefore assist protein folding (PubMed:[20676357](#)). Involved in regulation of the mitochondrial permeability transition pore (mPTP) (PubMed:[26387735](#)). It is proposed that its association with the mPTP is masking a binding site for inhibiting inorganic phosphate (Pi) and promotes the open probability of the mPTP leading to apoptosis or necrosis; the requirement of the PPIase activity for this function is debated (PubMed:[26387735](#)). In cooperation with mitochondrial p53/TP53 is involved in activating oxidative stress-induced necrosis (PubMed:[22726440](#)). Involved in modulation of mitochondrial membrane F(1)F(0) ATP synthase activity and regulation of mitochondrial matrix adenine nucleotide levels (By similarity). Has anti-apoptotic activity independently of mPTP and in cooperation with BCL2 inhibits cytochrome c-dependent apoptosis (PubMed:[19228691](#)).

#### Cellular Location


Mitochondrion matrix

#### PPIF Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### PPIF Antibody (C-term) - Images



Western blot analysis of lysate from HepG2 cell line, using PPIF Antibody (C-term)(Cat. #AP20712c). AP20712c was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug.

#### PPIF Antibody (C-term) - Background

PPIases accelerate the folding of proteins. It catalyzes the cis-trans isomerization of proline imidic peptide bonds in oligopeptides. Involved in regulation of the mitochondrial permeability transition

pore (mPTP). It is proposed that its association with the mPTP is masking a binding site for inhibiting inorganic phosphate (Pi) and promotes the open probability of the mPTP leading to apoptosis or necrosis; the requirement of the PPIase activity for this function is debated. In cooperation with mitochondrial TP53 is involved in activating oxidative stress- induced necrosis. Involved in modulation of mitochondrial membrane F(1)F(0) ATP synthase activity and regulation of mitochondrial matrix adenine nucleotide levels. Has anti-apoptotic activity independently of mPTP and in cooperation with BCL2 inhibits cytochrome c-dependent apoptosis.

#### **PPIF Antibody (C-term) - References**

- Bergsma D.J.,et al.J. Biol. Chem. 266:23204-23214(1991).  
Deloukas P.,et al.Nature 429:375-381(2004).  
Johnson N.,et al.Eur. J. Biochem. 263:353-359(1999).  
Eliseev R.A.,et al.J. Biol. Chem. 284:9692-9699(2009).  
Burkard T.R.,et al.BMC Syst. Biol. 5:17-17(2011).