

TNFRSF8 Antibody (N-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP20827a

Specification

TNFRSF8 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	P28908
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	63747

TNFRSF8 Antibody (N-term) - Additional Information

Gene ID 943

Other Names

Tumor necrosis factor receptor superfamily member 8, CD30L receptor, Ki-1 antigen, Lymphocyte activation antigen CD30, CD30, TNFRSF8, CD30, D1S166E

Target/Specificity

This TNFRSF8 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 30-63 amino acids from the N-terminal region of human TNFRSF8.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TNFRSF8 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TNFRSF8 Antibody (N-term) - Protein Information

Name TNFRSF8 ([HGNC:11923](#))

Function Receptor for TNFSF8/CD30L (PubMed:[8391931](#)). May play a role in the regulation of cellular growth and transformation of activated lymphoblasts. Regulates gene expression through activation of NF-kappa- B (PubMed:[8999898](#)).

Cellular Location

[Isoform 1]: Cell membrane; Single-pass type I membrane protein

Tissue Location


[Isoform 2]: Detected in alveolar macrophages (at protein level).

TNFRSF8 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TNFRSF8 Antibody (N-term) - Images



Western blot analysis of lysate from HeLa cell line, using TNFRSF8 Antibody (N-term)(Cat. #AP20827a). AP20827a was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysate at 35ug.

TNFRSF8 Antibody (N-term) - Background

Receptor for TNFSF8/CD30L. May play a role in the regulation of cellular growth and transformation of activated lymphoblasts. Regulates gene expression through activation of NF-kappa-B.

TNFRSF8 Antibody (N-term) - References

- Duerkop H.,et al.Cell 68:421-427(1992).
Jung W.,et al.Mol. Immunol. 31:1329-1334(1994).
Horie R.,et al.Blood 88:2422-2432(1996).
Durkop H.,et al.Submitted (MAY-2000) to the EMBL/GenBank/DDBJ databases.

Gregory S.G., et al. Nature 441:315-321(2006).